

eISSN: 2581-9615 CODEN (USA): WJARAI Cross Ref DOI: 10.30574/wjarr Journal homepage: https://wjarr.com/



(RESEARCH ARTICLE)

The lifestyle of families embracing an autistic person in Basrah city

Wasfi Dhahir Abid ali, Semahir S, Hameed, Zehara A and Luay abdulwahid shihab *

Department of basic science, College of nursing, University of Basrah, Iraq.

World Journal of Advanced Research and Reviews, 2023, 18(03), 1385–1392

Publication history: Received on 15 May 2023; revised on 24 June 2023; accepted on 27 June 2023

Article DOI: https://doi.org/10.30574/wjarr.2023.18.3.1242

Abstract

This study was conducted at the Imam Hussein Center affiliated to the Imam Hussain Shrine in Basra, Republic of Iraq. The study aims to assess the lifestyle of families who embrace a person with autism, 48 family members who participated in the questionnaire were of different ethnicities and races, total Evaluation of the Questions regarding autistic person the results showed that Bad = (0 - 0.33), Moderate = (0.34 - 0.67), good = (0.68 - 1) Mean Score center and families gate a benefit from the center services and programs the minimized problems.

Keywords: Autism; Family; Immam Al Hussin center; Basrah; Lifestyle

1. Introduction

Autism Known as a neurodevelopmental disorder characterized by difficulties with social interaction and communication, and by restricted and repetitive behavior (1) and associated with a combination of genetic and environmental factors (2). Some interventions showed how to reduce symptoms and improve the ability of autistic people to function and participate independently in the community (3). Autism is estimated to affect 24.8 million people as of 2015 (4). In the 2000s, the number of autistic people worldwide was estimated at 1–2 per 1,000 people. (5)..., (6) pointed that maternal nutrition and inflammation during preconception and pregnancy influences fetal neurodevelopment. Intrauterine growth restriction is associated with ASD, in both term and preterm infants.

Autism may be underdiagnosed in women and girls due to an assumption that it is primarily a male condition (7). As well as exposure to air pollution during pregnancy, especially heavy metals and particulates, may increase the risk of autism (8,9). Evidence point to synaptic dysfunction as a cause of autism (10) also some rare mutations may lead to autism by disrupting some synaptic pathways, such as those involved with cell adhesion. Gene replacement studies in mice suggest that autistic symptoms are closely related to later developmental steps that depend on activity in synapses and on activity-dependent changes (11). The study of Katarzyna *et al.*, 2007 (12) provides support for stability of clinical diagnosis and syndrome expression in the second year and highlights advantages and limitations of the ADI-R and ADOS-G for diagnosing and documenting symptoms of ASD in infants. Regarding lifestyle of autistic children (13) concluded that increased fat composition in Egyptian autistic children with decreased muscle mass necessitates tailoring a specially designed food supplementation program to ameliorate the severity of autism symptoms. autistic people, particularly natal females, had lower social identification with and more negative feelings about a gender group. (14). Their role complements that of parents. During school hours, school teachers are actually the first-respondent in cases of disasters or emergencies. They must be able to deal properly with health emergencies both in normal children, and those children with special health care needs (23).

^{*} Corresponding author: Luay abdulwahid shihab.

Copyright © 2023 Author (s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution Liscense 4.0.

2. Material and methods

The current study was conducted at the Imam Hussein Center affiliated to the Imam Hussain Shrine in Basra which is affiliated with the Imam Hussain Shrine in the Holy Karbala. The study targeted families who embrace a person with autism to know the effect of the presence of the autistic on the family lifestyle from different aspects. To achieve the aim of the study, a household questionnaire was conducted that included demographic information and another one related to the effect of having an injured person on the family lifestyle. Statistical Package for Social Sciences (SPSS), version 26. Include Percentage (%) and correlation between the variables.

3. Discussion of results

A normal part of life is stress but families with autistic children can experience more stress than other families. they might feel stressed because they are coming to terms with a diagnosis and what it means for their child

Autistic spectrum disorder (ASD) is a life-long condition. In recent years, there has been a rise in the number of children diagnosed with ASD and a greater recognition that parents need clear, accessible information communicated through different modalities. (16).

Table 1	Questionnaire	'score
---------	---------------	--------

Questionnaire 'parts	Number of questions	Max. Score per question	Min. Score per question
demographic information	10	-	-
Family information regarding autistic person	22	1	0
Total	32	1	0

Table (1) Study questionnaire includes two parts they are demographic information and Family information regarding autistic person.

Table 2 Rating and scoring of the study of questionnaire

Three (3) points Likert Scale							
Evaluation	Evaluation						
Likert Scale	Interval	Difference	Evaluation				
1	0 - 0.33	0.33	Bad				
2	0.34 - 0.67	0.33	Moderate				
3	0.68 – 1	0.33	Good				

We use three (3) points Likert Scale which ranged from up to (1), as shown in the next

4. Results of the study

 Table 3 Demographic Variables for Autistic children

Demographic Variables	Variables Classes	F	Percent
Sex	Male	31	65 %
	Female	17	35 %
	Total	48	100 %

	Less than 6	17	35 %
Patient's age	6 - 9	23	48 %
	More than 9	8	17 %
	Total	48	100 %
	Less than 30	7	15 %
Father's age	30 and more	41	85 %
	Total	48	100 %
Number of autistic	One	38	79 %
person in family	Two	10	21 %
	Total	48	100 %
	First	10	21 %
Child's sequence	Second	20	42 %
	Third	18	37 %
	Total	48	100 %
	College	28	58 %
Father's education	secondary	14	29 %
level	primary	6	13 %
	Total	48	100 %
	Employer	26	54 %
Mother's job	housewife	22	46 %
	Total	48	100 %
	yes	42	88 %
Family history	no	6	12 %
	Total	48	100 %
	yes	22	46 %
Relative marriage	no	26	54 %
	Total	48	100 %
	>million	23	48 %
Monthly income	<million< td=""><td>25</td><td>52 %</td></million<>	25	52 %
	Total	48	100 %

Table (3) Distribution of the Variables Related Demographic Characteristics N=48 patients with autism

Table 4 Evaluation of the Questions regarding autistic person

Mean score and assessment of families lifestyle							
N Min Max Mean score Ass.					Ass.		
Q1	48	0	1	0.62	Moderate		
Q2	48	0	1	0.60	Moderate		

Q3	48	0	1	0.65	Moderate
Q4	48	0	1	0.63	Moderate
Q5	48	0	1	0.67	Moderate
Q6	48	0	1	0.85	Good
Q7	48	0	1	0.73	Good
Q8	48	0	1	0.71	Good
Q9	48	0	1	0.85	Good
Q10	48	0	1	0.96	Good
Q11	48	0	1	0.42	Moderate
Q12	48	0	1	0.29	Bad
Q13	48	0	1	0.21	Bad
Q14	48	0	1	0.44	Moderate
Q15	48	0	1	0.21	Bad
Q16	48	0	1	0.98	Good
Q17	48	0	1	0.71	Good
Q18	48	0	1	0.96	Good
Q19	48	0	1	0.96	Good
Q20	48	0	1	0.25	Bad
Q21	48	0	1	0.15	Bad
Q22	48	0	1	0.87	Good

*Bad = (0 - 0.33), Moderate = (0.34 - 0.67), good = (0.68 - 1)Mean Score

Table 5 Evaluation of the Questions regarding autistic person

Overall assessment of families lifestyle					
Assessment	F	%			
Bad	3	6 %			
Moderate	23	48 %			
Good	22	46 %			
Total	48	100 %			

*Bad = (0 – 0.33), Moderate = (0.34 – 0.67), good = (0.68 – 1)Mean Score




Figure 1 Overall assessment of families lifestyle

Table 6 Relationships between the lifestyle assessment with demographic variables for autistic person.

Demographic	Variables	Assessment				Significant		
Variables	Classes	Bad	Moderate	Good	Total	X ²	P – value	Sig
		N	N	N	N			
	Male	3	14	14	31	1.79	0.40	Ns
Sex	Female	0	9	8	17			
	Total	3	23	22	48			
	Less than 6	2	7	8	17		0.71	
D	6 - 9	1	11	11	23			Ns
Patient's age	More than 9	0	5	3	8	2.12		
	Total	3	23	22	48			
	Less than 30	1	2	4	7	1.71	0.42	Ns
Father's age	30 and more	2	21	18	41			
	Total	3	23	22	48			
Number of autistic	One	3	17	18	38			Ns
person in family	Two	0	6	4	10	1.26	0.53	
	Total	3	23	22	48			
	Second	0	5	5	10			
Number of children	Third	2	12	6	20],		
	Fourth	1	6	11	18	4.55	0.33	Ns
	Total	3	23	22	48			
	College	0	14	14	28			
	Secondary	3	5	6	14			

Father's education level	Primary	0	4	2	6	8.82	0.04	S
	Total	3	23	22	48			
	Employer	0	13	13	26			
Mother's job	Housewife	3	10	9	22	3.81	0.14	Ns
	Total	3	23	22	48			
Family history	yes	3	19	20	42			
	no	0	4	2	6	1.16	0.55	Ns
	Total	3	23	22	48			
	yes	1	7	14	22			
Relative marriage	no	2	16	8	26	6.92	0.04	S
	Total	3	23	22	48			
Monthly income	>million	0	12	11	23			
	<million< td=""><td>3</td><td>11</td><td>11</td><td>25</td><td>2.96</td><td>0.22</td><td>Ns</td></million<>	3	11	11	25	2.96	0.22	Ns
	Total	3	23	22	48			

Ns = Non significant, X² = chi square, degree of freedom = (columns – 1) (rows – 1), P – value < 0.05 = significant (S) except that non-significant (Ns).

Family embracing children diagnosied of autistic spectrum disorder (ASD) experience caused feelings of distress and urgency to access care for the affected child. Ellen Giarelli et al.,2005 **(17)** concluded that parents have information and counseling needs that begin after they receive the diagnosis of ASD for their child and can address these needs with a standardized nursing intervention, the findings of <u>Jean and Phil</u> (18) findings suggest that partnership in the community setting is central to effective service delivery but is knowledge, skill and resource intensive.

The data of Wei *et al.*, research (19) partially confirmed new philosophy of life, appreciation of life, relating to others, personal strength and spiritual change of post-traumatic growth in mothers of children with autism while the results show that the years of experience have an effect on perceived stress. (20). Research shows that parents Disabled children are more vulnerable to stress (21). Confusion among the parents. They expressed confusion over the diagnosis due to inconsistence explanations given by various professionals. This could be due to the influence of cultural factor (22)

5. Conclusion

The study showed that lifestyle of families embracing person with autism and attend to Al –Emam Hussian center gate a benefit from the center services and programs the minimized problems.

Compliance with ethical standards

Acknowledgments

All thanks and gratitude to the officials of the Imam Hussain shrine and those who care for people with autism at the Imam Hussein Autism Center, Basra Governorate in the Republic of Iraq, and in particular Mrs. Intisar Riyad Abdul-Jabbar, Director of the Center.

Disclosure of conflict of interest

No conflict of interest.

Statement of informed consent

Informed consent was obtained from all individual participants included in the study.

References

- [1] Landa RJ (2008). "Diagnosis of autism spectrum disorders in the first 3 years of life". Nat Clin Pract Neurol. 4 (3): 138–147. doi:10.1038/ncpneuro0731. PMID 18253102.
- [2] Chaste P, Leboyer M (2012). "Autism risk factors: genes, environment, and gene-environment interactions". Dialogues in Clinical Neuroscience. 14 (3): 281–292.
- [3] CDC (23 September 2019). "Treatment | Autism Spectrum Disorder (ASD) | NCBDDD | CDC". Centers for Disease Control and Prevention. Retrieved 8 April 2021.
- [4] Vos T, Allen C, Arora M, Barber RM, Bhutta ZA, Brown A, et al. (GBD 2015 Disease and Injury Incidence and Prevalence Collaborators) (8 October 2016).
- [5] Newschaffer CJ, Croen LA, Daniels J, Giarelli E, Grether JK, Levy SE, Mandell DS, Miller LA, Pinto-Martin J, Reaven J, Reynolds AM, Rice CE, Schendel D, Windham GC (2007). "The epidemiology of autism spectrum disorders". Annual Review of Public Health. 28: 235–258. CJ, Croen LA, Daniels J, Giarelli E, Grether JK, Levy SE, Mandell DS, Miller LA, Pinto-Martin J, Reaven J, Reynolds AM, Rice CE, Schendel D, Windham GC (2007). "The epidemiology of autism spectrum disorders". Annual Review of Public Health. 28: 235–258. CJ, Croen LA, Daniels J, Giarelli E, Grether JK, Levy SE, Mandell DS, Miller LA, Pinto-Martin J, Reaven J, Reynolds AM, Rice CE, Schendel D, Windham GC (2007). "The epidemiology of autism spectrum disorders". Annual Review of Public Health. 28: 235–258.
- [6] Vohr BR, Poggi Davis E, Wanke CA, Krebs NF (2017). "Neurodevelopment: The Impact of Nutrition and Inflammation During Preconception and Pregnancy in Low-Resource Settings". Pediatrics (Review). 139 (Suppl 1): S38–S49.
- [7] Devlin H (14 September 2018). "Thousands of autistic girls and women 'going undiagnosed' due to gender bias". The Guardian.
- [8] Lyall K, Schmidt RJ, Hertz-Picciotto I (April 2014). "Maternal lifestyle and environmental risk factors for autism spectrum disorders". International Journal of Epidemiology. 43 (2): 443–464. doi:10.1093/ije/dyt282. PMC 3997376. PMID 24518932.
- [9] Lam J, Sutton P, Kalkbrenner A, et al. (2016). "A Systematic Review and Meta-Analysis of Multiple Airborne Pollutants and Autism Spectrum Disorder". PLOS ONE. 11 (9): e0161851. Bibcode:2016PLoSO..1161851L. doi:10.1371/journal.pone.0161851. PMC 5031428. PMID 27653281.
- [10] Levy SE, Mandell DS, Schultz RT (2009). "Autism". Lancet. 374 (9701): 1627–1638. doi:10.1016/S0140-6736 (09)61376-3. PMC 2863325. PMID 19819542.
- [11] Walsh CA, Morrow EM, Rubenstein JL (2008). "Autism and brain development". Cell. 135 (3): 396–400. doi:10.1016/j.cell.2008.10.015. PMC 2701104. PMID 18984148.
- [12] Katarzyna Chawarska 1, Ami Klin, Rhea Paul, Fred Volkmar.Autism spectrum disorder in the second year: stability and change in syndrome expression. J Child Psychol Psychiatry. 2007 Feb;48 (2):128-38.doi: 10.1111/j.1469-7610.2006.01685.x.
- [13] Nagwa A Meguid 1, Wafaa A Kandeel, Khaled E Wakeel, Aly A El-NofelyAnthropometric assessment of a Middle Eastern group of autistic children. World J Pediatr. 2014 Nov;10 (4):318-23. doi: 10.1007/s12519-014-0510-0. Epub 2014 Dec 1.
- [14] Kate Cooper 1, Laura G E Smith 2, Ailsa J RussellGender Identity in Autism: Sex Differences in Social Affiliation with Gender Groups. J Autism Dev Disord2018 Dec;48 (12):3995-4006. doi: 10.1007/s10803-018-3590-1.
- [15] J T Spence .Gender identity and its implications for the concepts of masculinity and femininity. Nebr Symp Motiv: . 1984;32:59-95.
- [16] Michelle O' Reilly, Khalid Karim, Jessica Nina Lester.Separating 'emotion' from 'the science': Exploring the perceived value of information for parents and families of children with autistic spectrum disorder: Clin Child Psychol Psychiatry. 2015 Jul;20 (3):500-14. doi: 10.1177/1359104514530735. Epub 2014 Apr 14
- [17] Ellen Giarelli 1, Margaret Souders, Jennifer Pinto-Martin, Joan Bloch, Susan E Levy:Intervention pilot for parents of children with autistic spectrum disorder. Pediatr Nurs Sep-Oct 2005;31 (5):389-99.
- [18] Jean McIntosh 1, Phil Runciman: Exploring the role of partnership in the home care of children with special health needs: qualitative findings from two service evaluations. Int J Nurs Stud. 2008 May; 45 (5):714-26. doi: 10.1016/j.ijnurstu.2006.12.012. Epub 2007 Feb 16.

- [19] Wei Zhang, Ting Ting Yan, K Louise Barriball, Alison E While, Xiao Hong Liu .Post-traumatic growth in mothers of children with autism: a phenomenological study. Autism: 2015 Jan;19 (1):29-37. doi: 10.1177/1362361313509732. Epub 2013 Nov 11.
- [20] Cappe E, N Poirier, Boujut E, Nader-Grosbois N., Dionne C., Boulard Autism spectrum disorder and evaluation of perceived stress parents and professionals: Study of the psychometric properties of a French adaptation of the Appraisal of Life Event Scale. Encephale,: 2017 Aug;43 (4):321-325. doi: 10.1016/j.encep.2016.08.001. Epub 2016 Sep 9.
- [21] Gupta A, Singhal N. Psychosocial support for families of chidlren with autism. Asia Pacific Disability RehabilitationJournal. 2005; 16 (2): p. 62-83.
- [22] Daley TC, Sigman MD. Diagnostic conceptualization of Autism among Indian psychiatrists, psychologists, and pediatricians. Journal of Autism and Developmental Disorders. 2002 February; 32 (1): p. 13-23.
- [23] WASFI DHAHIR ABID ALI, LUAY ABDULWAHID SHIHAB, MARYAM ABDULKAREEM ABDULRAZAQ, NOOR SABAH DAIF, & NABAAMUSSAB HASSAN, ASSESSMENT OF TEACHERS' KNOWLEDGE ABOUT FIRST AID SOME BASRAH CITY SCHOOLS, BEST: International Journal of Humanities, Arts, Medicine and Sciences (BEST: IJHAMS) ISSN (P): 2348–0521, ISSN (E): 2454–4728 Vol. 9, Issue 02, Feb 2021, 7–12.