



University of Anbar



## Review on Technology-Based on Reverse Osmosis

Maha A. Faroon<sup>a</sup>, Zainb A.A. Al Saad<sup>a</sup>, Fatma A. J. Albadran<sup>a</sup>, Lamia A. Ahmed<sup>a</sup>

<sup>a</sup>Department of Civil Engineering, College of Engineering, University of Basrah, Basrah, Iraq

### PAPER INFO

#### Paper history

Received: 02/12/2022

Revised: 14/10/2023

Accepted: 05/02/2023

#### Keywords:

Reverse Osmosis (RO)

Membrane

Filtration

Process



Copyright: ©2023 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY-NC 4.0) license.

<https://creativecommons.org/licenses/by-nc/4.0/>

### ABSTRACT

Reverse osmosis (RO) is a membrane filtering system that uses a semipermeable membrane to remove contaminants from water before sending the purified water on to be used in a number of settings, such as households and factories. The goal of this study is to investigate the process of reverse osmosis and the status of the membrane materials used in the process, as advantages and disadvantages of Reverse osmosis. These membrane materials are the driving elements in the process. This review also includes a discussion on the cleaning of membranes, the utilization of RO systems for several applications, and new advancements in reverse osmosis. Traditional RO membranes for seawater desalination. This technique is utilized regularly to desalinate seawater for use in drinking, agricultural, and industrial applications. Reverse osmosis (RO) is a powerful method of purifying water that employs a semi-permeable membrane to filter out harmful bacteria and dissolved solids.

## 1. Introduction

The purpose of this article is to serve as a resource for researchers and engineers interested in the current state and future prospects of reverse osmosis technology. By highlighting recent developments and identifying potential areas for future research and innovation.

Reverse osmosis (RO) is a remarkable water purification process that employs pressure to propel water molecules through a semipermeable membrane, thus excluding impurities. This very effective method gets rid of bacteria, viruses, and dissolved solids like salts and heavy metals. RO is popularly used by households to refine tap water and in various commercial and industrial

applications, including laboratory and medical settings, where purified water is indispensable [1].

Reverse osmosis is a sophisticated and highly effective method of purifying water that utilizes a semipermeable membrane to eliminate impurities from the water. The process operates by subjecting the water to intense pressure, which compels it to pass through the membrane and separates the pollutants from the water. This is the opposite of osmosis, which happens when water flows through a semipermeable membrane from a place where there are fewer solutes to a place where there are more solutes [2].

RO systems consist of a membrane, a high-pressure pump, and a collection tank. Water is first filtered to remove any large particles, and then it is passed

\* Corresponding author: Maha A. Faroon; [maha.faroon@uobasrah.edu.iq](mailto:maha.faroon@uobasrah.edu.iq); +9647804179122

through the RO membrane at high pressure. The membrane lets water molecules pass through, but it keeps out bacteria, viruses, and other harmful things and dissolved solids. The purified water is collected in the tank, while the contaminants are discarded [3].

RO systems are incredibly efficient in eliminating diverse contaminants from water, including bacteria, viruses, as well as dissolved solids such as salts and heavy metals. They are commonly used in households to purify tap water [4].

## 2. Reverse Osmosis Process

The reverse osmosis (RO) process typically involves several stages to purify water, including pre-treatment, membrane filtration, and post-treatment [5]. Fig 1. shows Schematic representation of RO systems [4].




Figure 1. Schematic representation of RO systems [4].

### 2.1. Pre-treatment

The first stage in the RO process is pre-treatment, which is used to remove any large particles or debris from the water. This is typically done by passing the water through a sediment or sand filter. In some cases, additional pre-treatment steps such as pH adjustment or aeration may be required to prepare the water for the membrane filtration stage [6].

### 2.2. Membrane filtration

The next stage is membrane filtration, where most of the contaminants are removed from the water. The water is passed through a semi-permeable membrane at high pressure, typically around 60-70 psi, using a high-pressure pump. The membrane allows water molecules to pass through, but it blocks contaminants such as bacteria, viruses, and dissolved solids. This purified water is collected in the storage tank, while the contaminants are discarded [7].

### 2.3. Post-treatment

The final stage in the RO process is post-treatment, which is used to adjust the water's pH, add back any essential minerals that were removed during the filtration process and disinfect the water. This stage is optional and it depends on the specific application or the desired final product quality [8].

The duration of the process can vary significantly, ranging from as little as half an hour to multiple hours, contingent upon the dimensions of the system, the velocity at which the water flows, and the composition of impurities present in the water.

It's important to note that, RO process can waste a good amount of water depending on the ratio of purified water to waste water, which makes it less efficient for areas with water scarcity. To make it more efficient, many modern RO systems are coupled with membrane recovery systems, or other technologies to increase water recovery and reduce waste.

## 3. Reverse Osmosis Mechanism and Operation

Reverse osmosis (RO) is a technique used to purify water by utilizing a semipermeable membrane that can filter out ions, molecules, and larger particles. This membrane selectively permits water molecules to pass through, while preventing dissolved substances and other contaminants from passing through. The process involves applying pressure to contaminated water, which is then forced through the semipermeable membrane, leaving behind the impurities. Fig 2. can be consulted for a visual depiction of this process, while Fig 3. provides a schematic of how separation occurs via the reverse osmosis membrane.




Figure 2. Reverse Osmosis [4].




Figure 3. The schematic of separation process through reverse osmosis membrane [4].

The most important equations that govern the RO process are:

1. The osmotic pressure equation:

$$\pi = iCRT \quad (1)$$

The equation for calculating osmotic pressure is  $\pi = iCRT$ . Here,  $\pi$  represents the osmotic pressure,  $i$  is the van't Hoff factor (which denotes the number of ions produced when a solute dissolves in water),  $R$  is the universal gas constant, which is equal to 0.083145 Lbar/mol K, and  $T$  is the temperature.

2. The mass balance equation:

$$Qf = Qp + Qr \quad (2)$$

where  $Qf$  is the feed flow rate,  $Qp$  is the permeate flow rate, and  $Qr$  is the reject flow rate.

3.  $Jw = \frac{Qp}{A}$  (3)

where  $Jw$  is the water flux,  $Qp$  is the flow rate permeate, and  $A$  is the effective membrane area.

4. The salt rejection equation:

$$R = \left(1 - \frac{Cp}{Cf}\right) * 100\% \quad (4)$$

The salt rejection percentage ( $R$ ) is a dimensionless value expressed as a fraction. It is calculated based on the concentration of salt in the permeate ( $Cp$ ) and the concentration of salt in the feed water ( $Cf$ ).

These equations help in understanding the basic principles of RO and can be used to design and optimize RO systems for various applications. It is important to note that the performance of the RO system depends on various factors such as membrane type, feed water quality, operating conditions, and system design [9].

#### 4. Water Treatment Methods

Water treatment involves the elimination of impurities from water for the purpose of rendering it suitable for human consumption, industrial applications, or environmental release. Numerous water treatment techniques exist, each with its own set of advantages and disadvantages [10].

1. Filtration: The act of removing particles like sand, sediment, and debris from water by passing it through a filter is called filtration. There are different types of filters that can be used for this process, such as sand filters, activated carbon filters, and multimedia filters.
2. Chemical treatment: is the process of adding various chemicals to water to eliminate impurities, such as viruses and bacteria. The chemicals commonly used in water treatment include hydrogen peroxide, ozone, and chlorine.
3. Distillation: Distillation involves boiling water and then collecting the steam as it condenses, leaving behind contaminants and dissolved solids. It is a highly effective method for water treatment, but it is also energy-intensive.

4. Coagulation and flocculation are used to remove suspended particles and pollutants. These mechanisms agglomerate particles into bigger, easier-to-remove bulk. Alum or ferric chloride are used to coagulate water. The suspended particles form flocs when the coagulant neutralises their electrical charges. Flocculation follows coagulation in water treatment. Flocculation softly stirs water to generate bigger flocs. Filtration or sedimentation may remove the flocs. Mixers, paddle wheels, and other agitators may flocculate. Coagulation and flocculation remove suspended particles and pollutants from water but may not remove dissolved solids and other contaminants. These methods may need costly and environmentally harmful chemicals.
5. Reverse osmosis is a process that uses a semi-permeable membrane to remove salts and minerals from water that have dissolved in it. It is often used to clean seawater or salty water so that it can be used for drinking or in industry.

## 5. Reverse osmosis Advantages

Reverse osmosis (RO) is a highly effective method for purifying water, and it offers several advantages over other methods of water treatment. Some of the key advantages of the RO process include:

5. Reverse Osmosis (RO) is an exceedingly efficient method of purifying water. Its outstanding ability to remove a broad spectrum of contaminants from water, including bacteria, viruses, salts, and heavy metals make it one of the most effective water filtration solutions obtainable. RO's staunch performance can eradicate up to 99% of impurities from water, achieving purification at its zenith [11].
6. Versatility: RO systems offer versatility in terms of water purification. They can effectively purify water from various sources such as tap water, well water, and surface water. Additionally, they are suitable for treating water for a range of purposes, including household, industrial, laboratory, and medical use. [12]
7. Low maintenance: RO systems require minimal maintenance, making them a convenient and cost-effective option for households and businesses. The membrane should be replaced periodically to maintain optimal performance [12].
8. RO systems, known for their compact size, are versatile in terms of installation options - be it in homes, offices or factories [8]
9. Durability: RO systems are built to last and can withstand the rigors of daily use. The high-pressure pump and the membrane are specially designed to be durable and long-lasting, thus making it a low-cost solution in the long run [13].
10. Environmental friendly: RO systems do not use any chemicals in the purification process, making it a safe and environmentally friendly method of water treatment [14].

## 6. Reverse osmosis Disadvantages

While reverse osmosis (RO) is a highly effective method for purifying water, it does have some disadvantages that should be considered. Some of the key disadvantages of the RO process include [15]:

1. High initial and operational costs: Reverse osmosis (RO) systems can be a costly investment, both in terms of purchase and installation expenses, as well as the energy required for operation. Furthermore, the membranes used in the process will need to be replaced periodically, which can add to the operational costs.[16]
2. Water waste: RO systems can produce a significant amount of waste water, with up to 80% of the water going to waste. This can be a problem in areas with water scarcity and high-water costs [17]
3. Membrane clogging: RO membranes can become clogged over time due to the presence of certain dissolved solids, such as calcium and magnesium. This can lead to reduced water flow and decreased performance, and the membranes may need to be cleaned or replaced more frequently.[18]

4. Removal of essential minerals: RO systems can remove essential minerals, such as calcium and magnesium, from the water. This can make the water less palatable and can also have an impact on human health. Some RO systems have an option of remineralization or you can add mineral drops to the purified water [19]
5. Limited application: RO systems are less effective when treating water with high levels of dissolved gases, such as hydrogen sulfide and carbon dioxide. Additionally, RO is not effective for treating water with high levels of organics, colloids, and bacteria [20]
6. High-pressure requirement: To force water across the membrane during the RO process, high pressure is required, which can be problem in certain areas where water pressure is low [20]
7. Slow water production: RO process can be relatively slow in producing purified water, as it is dependent on the size of the membrane and the pressure applied to the water [20].
4. Desalination: One of the most well-known applications of RO is the desalination of seawater, which can be used to produce fresh water in coastal and island communities where freshwater resources are limited.
5. Food and beverage industry: RO is used in the food and beverage industry to purify water used in the production of drinks, such as soft drinks as well as for cleaning and sanitizing equipment.
6. Pharmaceutical industry: RO is used to produce high-purity water for the pharmaceutical industry for the production of drugs, and for cleaning and sanitizing equipment.
7. Power generation: RO is used to purify water for power generation, including the removal of dissolved solids and impurities from the feedwater used in boilers, and in the production of steam.
8. Aquaculture: RO systems can be used to provide high-quality water for aquaculture systems, such as fish farms and shrimp farms. Top of Form.

## 7. Reverse Osmosis Applications

The water purification method reverse osmosis (RO) has several potential uses. The following are some of the most typical uses of RO [21]:

1. Household use: RO systems are widely used in households to purify tap water. They can effectively remove a wide range of contaminants, including bacteria, viruses, and dissolved solids, making the water safe to drink.
2. Industrial use: Reverse osmosis is a process that uses a semi-permeable membrane to remove salts and minerals from water that have dissolved in it. It is often used to clean seawater or salty water so that it can be used for drinking or in industry.
3. Laboratory and medical use: RO systems are used to produce high-purity water for laboratory and medical applications, including the preparation of reagents, media, and buffers.

## 8. Utilization of Membrane Technology in Water Treatment

Scientists and engineers are currently exploring membrane technology as a solution to provide ample amounts of high-quality water to meet human, environmental, and industrial demands. This groundbreaking technology utilizes selectively permeable membranes that either replace or enhance standard water treatment methods. By applying membrane filtration, undesirable particles, dissolved salts, and organics are selectively removed, significantly improving effluent quality. The retained particle sizes depending on the pore diameters of the membrane during the filtration process. Not only is membrane filtration an effective method for producing clean drinking and process water, it can also be used for industrial processes and treating wastewater, treating sewage in cities, getting products out of water streams, and closing water loops., treating groundwater, agricultural waste streams, and percolation waters. A specific type of membrane filtration called membrane bioreactors (MBRs) treat industrial wastewater and municipal sewage by retaining biomass via biological activated sludge

and microfiltration/ultrafiltration (MF/UF) membrane separation. By blocking suspended particles, MBRs can effectively replace secondary clarifying and tertiary sand filtration. Membrane distillation (MD) applies a hydrophobic membrane to separate water from other compounds by utilising vapor pressure. As a result of the development of better membrane materials, forward osmosis, and membrane distillation, membrane separation growth is expected to rise even further. As such, membrane technology has a significant role to play in improving water quality and sustainability, and will become increasingly vital in the global water cycle as research into this area continues. [21]

## 9. Traditional RO Membranes for Seawater Desalination

In order to extract dissolved salts from seawater, traditional desalination facilities employ reverse osmosis (RO) membranes. These membranes typically have a pore size of less than 0.1 microns, which is small enough to effectively remove dissolved salts and other impurities from the water [21]

The most common type of membrane used in Traditional desalination RO systems is the thin-film-composite (TFC) membrane. TFC membranes are made from multiple layers of material and are highly effective at removing a wide range of dissolved salts and impurities from water. These membranes can be made from various materials like cellulose acetate, polyamide and others [21]

Traditional desalination RO membranes are typically made of a highly crosslinked polymer matrix, with a very thin active layer that is typically less than 1 micron thick. The active layer is responsible for the separation of dissolved salts and other impurities, while the polymer matrix provides mechanical strength and durability [21]

The performance of Traditional desalination RO membranes can be affected by several factors, including the temperature and pH of the water, the pressure applied to the water, and the presence of dissolved gases, organics, colloids, and bacteria in the water. To prevent fouling, it's common to add chemicals such as chlorine, hydrochloric acid or sodium hydroxide to the feed water to control the pH, temperature, and bacteria levels.

Traditional desalination RO systems are efficient in removing dissolved solids, but they can be less efficient in removing other impurities such as dissolved gases, organics, and bacteria, and thus often require pre-treatment stages to remove those. The membranes can also be sensitive to high pressure, temperature, and chemicals, making it important to operate and maintain them properly [21].

## 10. Membrane Characteristics

Membranes used in reverse osmosis (RO) systems have several characteristics that affect their performance and suitability for a particular application. These characteristics include pore size, permeability, selectivity, durability and chemical resistance, temperature and pressure tolerance, operating flux and fouling resistance. The pore size of the membrane determines its ability to remove dissolved solids and other impurities from the water. Permeability and selectivity determine the ease with which water molecules pass through the membrane and how effectively it separates different types of molecules. Durability and chemical resistance, temperature and pressure tolerance, operating flux and fouling resistance are all important factors that affect the lifespan and maintenance requirements of the membrane. The appropriate membrane characteristics for a specific application will depend on the source water quality and the contaminants that need to be removed [21].

## 11. Cleaning of a Membrane Used in a RO System

The frequency of cleaning a reverse osmosis (RO) system membrane depends on several factors, including the source water quality, the system's operating conditions, and the specific contaminants that need to be removed. In general, it's recommended to schedule regular cleaning of the membrane at intervals that are based on the following criteria:

1. Water quality: The quality of the source water will affect the rate of fouling and the need for cleaning. High levels of dissolved solids, organic matter, microorganisms, and other contaminants will require more frequent cleaning.
2. System operating conditions: Factors such as the temperature, pressure, and pH of the source water can affect the rate of fouling

and the need for cleaning. Systems that operate at higher temperatures and pressures, or with higher pH levels, will generally require more frequent cleaning.

3. Membrane type: Different types of membranes have varying resistance to fouling and different cleaning requirements. Polyamide membrane typically require more frequent cleaning than TFC or CA membrane
4. Water production rate: High water production rates will require more frequent cleaning of the membrane to maintain optimal performance.
5. Conductivity or TDS measurement: Continuously monitoring the conductivity or Total Dissolved Solids (TDS) in the permeate water, is a positive sign of the fouling of the membrane and the need for cleaning. As the membrane becomes fouled, the conductivity of the permeate water will increase.

In general, a routine membrane cleaning schedule should be established, to ensure that the membrane is cleaned regularly, before fouling becomes severe and causes a significant reduction in water production. It's important to consult with a water treatment professional to determine the appropriate cleaning schedule for your specific system and water source [22].

## 12. Insights from Recent Research Studies

A study by Hailemariam et al. (2020) examined the materials commonly used in reverse osmosis membrane fabrication and the advancements in reverse osmosis technologies. The study analyzed the benefits and drawbacks of using reverse osmosis for water treatment and desalination, and found that polyamide thin-film composite (PA-TFC) is the most frequently used material for RO membrane synthesis. Significant advancements in material science, process optimisation, system optimisation, membrane synthesis techniques, and reverse osmosis adaptations were also emphasised in the review. Furthermore, the study noted that polyamide (PA) is commonly used in the fabrication of RO membranes and that numerous research works have been conducted for their development [23].

Burlace and colleagues in their 2022 publication, delve into the matter of fouling and its prevention in batch reverse osmosis. Their objective is to assess the progress made in reverse osmosis technology and gain insight into the fouling and scaling phenomena. Batch reverse osmosis features unique flow characteristics not seen in traditional reverse osmosis, such as osmotic backwashing, feed flow reversal, salinity cycling, and water hammer/pulse flow. The authors also examine the latest developments in reverse osmosis technology to enhance its efficiency and longevity [24].

In their 2022 review, Rashidi and colleagues examine research on desalination systems that utilize wind energy. They suggest that incorporating hybrid systems, which combine wind turbines with other technologies, can enhance the reliability of these systems and help address the intermittent nature of wind. However, the cost-effectiveness of using hybrid energy depends on the particular case study and the availability of other renewable energy sources. Depending on the hybrid energy system's structure and components, the price of generating freshwater might range widely [25].

In conclusion, reverse osmosis (RO) membrane technology has changed a lot over the years and is now a very common way to purify and desalinate water. New materials and ways to change them have led to improvements in RO membrane performance, such as better selectivity, durability, and resistance to clogging. Renewable energy sources, such as wind energy, could also be used to power RO systems in a clean and sustainable way. RO membrane technology will keep getting better and more useful as more research and development is done in these areas, especially in places where getting clean water is hard.

## 13. Recent Advances in Reverse Osmosis

There are several new developments in the field of reverse osmosis (RO) technology that aim to improve the efficiency, cost-effectiveness, and sustainability of water treatment systems. Some of the most notable developments include:

1. Membrane materials: Researchers are working on developing new types of membrane materials that can improve the performance and durability of RO systems. For example, some researchers are

exploring the use of ceramic membranes and others are developing new types of polymer membranes that can withstand higher temperatures and pressures, and are more resistant to fouling [26].

2. Energy recovery devices: Energy recovery devices (ERDs) are designed to reduce the energy consumption of RO systems by recovering some of the energy that is lost during the desalination process. This can include using pumps to recover energy from the brine stream, or using devices that convert pressure into electrical energy [26].
3. Advanced pretreatment: Pretreatment is an important step in the RO process, it is used to remove particles, dissolved solids, and other impurities that can foul the membrane. Researchers are working on developing new methods for pretreatment, such as using biofiltration and membrane bioreactors to remove dissolved organics, as well as developing more advanced methods for particle removal such as ceramic ultrafiltration [27].
4. Forward osmosis: (FO) is a relatively new technology in which osmotic pressure is used to separate dissolved solids from water. It can be more energy-efficient than traditional RO systems, and it can be used to desalinate seawater, as well as to treat municipal and industrial wastewater [27].
5. Integrated systems: Integrated systems combine different desalination technologies to produce water of high quality with lower energy consumption and lower costs [28].

These new developments in RO technology have the potential to improve the efficiency and sustainability of water treatment systems and make desalination more cost-effective. However, it's important to note that while some of these developments are in advanced stages of research and development, others are still in the early stages.

## 14. Conclusion

RO is an effective technique of water purification. water that employs a semi-permeable membrane to filter out harmful bacteria and dissolved solids.

The method is commonly used to desalinate seawater for potable, agricultural, and industrial applications. There are a few issues with the system, including its high energy consumption, the need for regular cleaning and maintenance, and membrane fouling. Technology advancements are being made to increase water quality while also making the systems more efficient and sustainable.

Overall, RO technology has been shown to be a reliable and effective way to make good drinking water. It has a lot of advantages over other ways to treat water, such as being able to get rid of a wide range of contaminants, having low operating costs, and using less energy. But there are also some problems with RO technology, such as the need for regular maintenance, the fact that it creates wastewater as a byproduct, and the chance that the membrane will get clogged or scaled. Even with these problems, RO technology is likely to remain an important part of water treatment and desalination for the foreseeable future. This is especially true as water scarcity becomes a bigger problem in many parts of the world.

## References

- [1] D. M. Warsinger, E. W. Tow, K. G. Nayar, and L. A. Maswadeh, "Energy efficiency of batch and semi-batch (CCRO) reverse osmosis desalination," *Water research*, vol. 106, pp. 272-282, 2016.
- [2] K. McMordie Stoughton, X. Duan, and E. M. Wendel, "Reverse osmosis optimization," Pacific Northwest National Lab. (PNNL), Richland, WA (United States)2013.
- [3] A. Baghel and B. Singh, "Emerging Potable Water Technologies," *Defence Life Science Journal*, vol. 1, no. 2, pp. 113-126, 2016.
- [4] S. J. Wimalawansa, "Purification of contaminated water with reverse osmosis: effective solution of providing clean water for human needs in developing countries," *International journal of emerging technology advanced engineering*, vol. 3, no. 12, pp. 75-89, 2013.
- [5] C. Fritzmann, J. Löwenberg, T. Wintgens, and T. Melin, "State-of-the-art of reverse osmosis desalination," *Desalination*, vol. 216, no. 1-3, pp. 1-76, 2007.
- [6] Y.-N. Wang and R. Wang, "Reverse osmosis membrane separation technology," in *Membrane separation principles and applications*: Elsevier, 2019, pp. 1-45.



- [7] L. Jiang, Y. Tu, X. Li, and H. Li, "Application of reverse osmosis in purifying drinking water," in *E3S web of conferences*, 2018, vol. 38, p. 01037: EDP Sciences.
- [8] B. Djebedjian, H. Gad, I. Khaled, and M. Rayan, "Reverse osmosis desalination plant in Nuweiba City (case study)," in *Proceedings of IWTC11*, 2007, pp. 315-330.
- [9] L. Masse, D. Massé, Y. Pellerin, and J. Dubreuil, "Osmotic pressure and substrate resistance during the concentration of manure nutrients by reverse osmosis membranes," *Journal of Membrane Science*, vol. 348, no. 1-2, pp. 28-33, 2010.
- [10] C. Binnie, M. Kimber, and H. Thomas, "Overview of water treatment," in *Basic Water Treatment*, vol. 473: ICE Publishing, 2017, pp. 27-44.
- [11] H. T. Do Thi, T. Pasztor, D. Fozer, F. Manenti, and A. J. Toth, "Comparison of desalination technologies using renewable energy sources with life cycle, PESTLE, and multi-criteria decision analyses," *Water*, vol. 13, no. 21, p. 3023, 2021.
- [12] I. G. Wenten, "Reverse osmosis applications: Prospect and challenges," *Desalination*, vol. 391, pp. 112-125, 2016.
- [13] M. Schouppe, "Membrane technologies for water applications," in "European commission, Directorate General for Research, Belgium," 2010, Available: <https://data.europa.eu/doi/10.2777/25163>.
- [14] Lenntech. *Membrane cleaning methods*. Available: <https://www.lenntech.com/membrane-cleaning.htm>
- [15] C. Charcosset, "Classical and Recent Developments of Membrane Processes for Desalination and Natural Water Treatment," *Membranes*, vol. 12, no. 3, p. 267, 2022.
- [16] B. A. Tarboush, H. Arafat, T. Matsuura, and D. Rana, "Recent advances in thin film composite (TFC) reverse osmosis and nanofiltration membranes for desalination," *Journal of Applied Membrane Science Technology*, vol. 10, no. 1, 2009.
- [17] R. Raluy, L. Serra, and J. J. D. Uche, "Life cycle assessment of desalination technologies integrated with renewable energies," vol. 183, no. 1-3, pp. 81-93, 2005.
- [18] J. Schoeman and A. J. D. Steyn, "Nitrate removal with reverse osmosis in a rural area in South Africa," vol. 155, no. 1, pp. 15-26, 2003.
- [19] A. Aende, J. Gardy, and A. Hassanpour, "Seawater desalination: A review of forward osmosis technique, its challenges, and future prospects," *Processes*, vol. 8, no. 8, p. 901, 2020.
- [20] K. P. Lee, T. C. Arnot, and D. Mattia, "A review of reverse osmosis membrane materials for desalination—Development to date and future potential," *Journal of Membrane Science*, vol. 370, no. 1-2, pp. 1-22, 2011.
- [21] M. B. Asif and Z. Zhang, "Ceramic membrane technology for water and wastewater treatment: A critical review of performance, full-scale applications, membrane fouling and prospects," *Chemical Engineering Journal*, vol. 418, p. 129481, 2021.
- [22] A. J. Schunke, G. A. Hernandez Herrera, L. Padhye, and T.-A. Berry, "Energy recovery in SWRO desalination: current status and new possibilities," *Frontiers in Sustainable Cities*, vol. 2, p. 9, 2020.
- [23] R. H. Hailemariam, Y. C. Woo, M. M. Damtie, B. C. Kim, K.-D. Park, and J.-S. Choi, "Reverse osmosis membrane fabrication and modification technologies and future trends: A review," *Advances in colloid interface science*, vol. 276, p. 102100, 2020.
- [24] L. Burlace and P. Davies, "Fouling and fouling mitigation in batch reverse osmosis: review and outlook," *Desalination Water Treatment*, vol. 249, pp. 1-22, 2022.
- [25] M. M. Rashidi, I. Mahariq, N. Murshid, S. Wongwises, O. Mahian, and M. A. Nazari, "Applying wind energy as a clean source for reverse osmosis desalination: A comprehensive review," *Alexandria Engineering Journal*, vol. 61, no. 12, pp. 12977-12989, 2022.
- [26] Y. Zhao, L. Duan, X. Liu, and Y. Song, "Forward Osmosis Technology and Its Application on Microbial Fuel Cells: A Review," *Membranes*, vol. 12, no. 12, p. 1254, 2022.
- [27] J. J. Feria-Díaz, F. Correa-Mahecha, M. C. López-Méndez, J. P. Rodríguez-Miranda, and J. Barrera-Rojas, "Recent desalination technologies by hybridization and integration with reverse osmosis: A review," *Water*, vol. 13, no. 10, p. 1369, 2021.
- [28] B. Djebedjian, H. E. Gad, I. Khaled, and M. About Rayan, "An Experimental investigation on Reverse Osmosis Desalination system," in *Engineering conference*, Sharam El-Sheikh, Egypt, 2006, pp. M-99-111.