

# *ISB-INMA-TEH*

## AGRICULTURAL AND MECHANICAL ENGINEERING

**Bucharest**  
**5-6 October 2023**

# ***ISB-INMA-TEH***

**AGRICULTURAL AND MECHANICAL  
ENGINEERING**

**Bucharest  
2023**

**ORGANIZING COMMITTEE**

- Ph.D. Eng. Valentin VLĂDUȚ - INMA Bucharest (RO);
- Ph.D. Eng. Mihai MATAȚHE - INMA Bucharest (RO);
- Prof. Ph.D. Eng. Sorin-Ștefan BIRIȘ - P.U. Bucharest (RO);
- Prof. Ph.D. Eng. Edmond MAICAN - P.U. Bucharest (RO);
- Prof. Ph.D. Eng. Gigel PARASCHIV - P.U. Bucharest (RO);
- Prof. Ph.D. Eng. Gheorghe VOICU - P.U. Bucharest (RO);
- Ph.D. Eng. Iuliana GĂGEANU - INMA Bucharest (RO);
- Assoc. Prof. Ph.D. Eng. Nastasia BELC - IBA Bucharest (RO);
- Ph.D. Eng. Marian VINTILĂ – Horting Bucharest (RO);
- Ph.D. Eng. Cătălin DUMITRESCU – INOE 2000 IHP (RO);
- Lect. Ph.D. Eng. Nicoleta UNGUREANU - P.U. Bucharest (RO);
- Lect. Ph.D. Eng. Gabriel CONSTANTIN - P.U. Bucharest (RO);
- Eng. Mariana EPURE - INMA Bucharest (RO);
- Eng. Mihai CONSTANTINESCU- INMA Bucharest (RO);

**SECRETARY**

- Tech. Tania Țicu - INMA Bucharest (RO);
- Eng. Tăbărașu Ana-Maria - INMA Bucharest (RO);
- Tech. Marian CHIRIȚESCU - INMA Bucharest (RO)

**SUPPORT AND TRANSLATION**

- Prof. Daniela-Cristina RADU - INMA Bucharest (RO);
- Lect. Ph.D. Eng. Nicoleta UNGUREANU - P.U. Bucharest (RO)
- Ph.D. Eng. Iuliana GĂGEANU - INMA Bucharest (RO)

**PROGRAMME COMMITTEE**

- Assoc. Prof. Ph.D. Eng. Atanas ATANASOV - University of Rouse (BG)
- Assoc. Prof. Ph.D. Mihaela BEGEA – P.U. Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Nastasia BELC - IBA Bucharest (RO)
- Prof. Ph.D. Eng. Sorin-Ștefan BIRIȘ - P.U. Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Sorin BORUZ - University of Craiova (RO)
- Assoc. Prof. Ph.D. Eng. Sorin BUNGESCU – USAMVB Timișoara (RO)
- Ph.D. Eng. Luminița CATANĂ – IBA Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Petru Marian CĂRLESCU - Iasi University of Life Sciences (RO)
- Ph.D. Eng. Valerian CEREMPEI - MECAGRO, Agrarian University (MD)
- Prof. Ph.D. Eng. Leonardi CHERUBINO – Università degli Studi di Catania (IT)
- Prof. Ph.D. Eng. Lucian-Ionel CIOCA, Lucian Blaga University of Sibiu (RO)
- Prof. Ph.D. Eng. Sorin CÎMPEANU - USAMV Bucharest (RO)
- Prof. Laura CLARIZIA, University of Naples Federico II (IT)
- Lect. Ph.D. Eng. Gabriel CONSTANTIN - P.U. Bucharest (RO)
- Ph.D. Eng. Florica CONSTANTINESCU – IBA Bucharest (RO)
- Ph.D. Eng. Mihnea COSTOIU - P.U. Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Cristina COVALIU - P.U. Bucharest (RO)
- Prof. Ph.D. Eng. Andrei CRAIFĂLEANU - P.U. Bucharest (RO)
- Prof. Vasyl DMYTRIV - Lviv Polytechnic National University (UA)
- Ph.D. Eng. Cătălin DUMITRESCU – INOE 2000 IHP (RO)
- Prof. Ph.D. Eng. Adam EKIELSKI - Warsaw University of Life Sciences (PL)
- Prof. Maria Cruz López Escalante, University of Malaga (ES)
- Prof. Ph.D. Eng. Inacio Maria dal FABRO – Campinas State University (BR)
- Assoc. Prof. Ph.D. Eng. Lucian FECHETE - Technical University Cluj Napoca (RO)
- Assoc. Prof. Ph.D. Eng. Mariana FERDEȘ - P.U. Bucharest (RO)
- Prof. Ph.D. Eng. Nicolae FILIP - Technical University Cluj Napoca (RO)
- Ph.D. Eng. Iuliana GĂGEANU – INMA Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Marius GHEREȘ - Technical University Cluj (RO)
- Prof. Ph.D. Eng. Omar GONZÁLEZ - Central University "Marta Abreu" de las Villas, (CU)
- Prof. Ph.D. Eng. David HERAK - Czech University of Life Sciences Prague (CZ)
- Prof. Francisco de Paula Martin Jimenez, University of Malaga (ES)
- Ph.D. Eng. Blaziu Carol LEHR – INCD ECOIND (RO)
- Assoc. Prof. Ph.D. Eng. Önder KABAS - Akdeniz University, Antalya (TR)
- Assoc. Prof. Ph.D. Eng. Imre KISS - P.U. Timișoara (RO)
- Prof. Ph.D. Eng. Silvio KOSUTIC - Zagreb University (HR)
- Dr. sc. Igor KOVAČEV - Zagreb University (HR)
- Assoc. Prof. Ph.D. László MAGÓ - Szent Istvan University (HU)
- Prof. Ph.D. Eng. Edmond MAICAN - P.U. Bucharest (RO)
- Ph.D. Eng. Eugen MARIN - INMA Bucharest (RO)
- Ph.D. Eng. Gabriela MATAȚHE – INOE 2000 IHP (RO)
- Ph.D. Eng. Mihai MATAȚHE - INMA Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Gheorghe MATEI - University of Craiova (RO)
- Prof. Ph.D. Eng. Nikolai MIHAILOV - University of Rouse (BG)
- Ph.D. Eng. Vasile MOCANU - ICDP Brașov (RO)
- Ph.D. Eng. Vergil MURARU - INMA Bucharest (RO);
- Ph.D. Eng. Parish NALAVADE - Punjabrao Deshmukh Krishi Vidhyapeeth (IN)
- Ph.D. Eng. Florin NENCIU - INMA Bucharest (RO)
- Prof. Ph.D. Eng. Gigel PARASCHIV - P.U. Bucharest (RO)
- Ph.D. Eng. Anișoara PĂUN - INMA Bucharest (RO)
- Ph.D. Eng. Lorena-Diana POPA – ARDS Secuieni (RO)
- Assoc. Prof. Ph.D. Ch. Carmen POPESCU - Vasile Goldiș" Western University (RO)
- Prof. Ph.D. Eng. Tudor PRISECARU - P.U. Bucharest (RO)
- Ph.D. Eng. Elena Cristina Rada – Insubria University (IT)
- Prof. Ph.D. Eng. Marco RAGAZZI - University of Trento (IT)
- Prof. Ph.D. Biol. Ioan ROȘCA - ICDPP Bucharest (RO)
- Prof. Ph.D. Eng. Radu ROȘCA – Iasi University of Life Sciences (RO)
- Assoc. Prof. Ph.D. Eng. Carmen RUSĂNESCU – P.U. Bucharest (RO)
- Prof. Ph.D. Eng. Ion SĂRĂCIN - University of Craiova (RO)
- Assoc. Prof. Ph.D. Eng. Lazar SAVIN - University of Novi Sad (SR)
- Assoc. Prof. Ph.D. Eng. Kemal SELVİ - Ondokuz Mayıs University (TR)
- Ph.D. Eng. Cristian SORICĂ - INMA Bucharest (RO)
- Ph.D. Eng. Dorin Ioan SUMEDREA – INCD BH Stefanesti-Arges (RO)
- Prof. Ph.D. Eng. Răzvan TEODORESCU - USAMV Bucharest (RO)
- Prof. Ph.D. Eng. Vincenzo TORRETTA - Insubria University (IT)
- Ph.D. Eng. Elena TROTUȘ – ARDS Secuieni (RO)
- Prof. Ph.D. Eng. Ion ȚENU - Iasi University of Life Sciences (RO)
- Ph.D. Eng. Marian VINTILĂ – Horting Bucharest (RO)
- Ph.D. Eng. Valentin VLĂDUȚ - INMA Bucharest (RO)
- Ph.D. Eng. Iulian VOICEA - INMA Bucharest (RO)
- Prof. Ph.D. Eng. Gheorghe VOICU - P.U. Bucharest (RO)
- Assoc. Prof. Ph.D. Eng. Tomasz ŻELAZIŃSKI - Warsaw University of Life Sciences (PL)

**HONORARY COMMITTEE**

- Prof. Ph.D. Valeriu TABĂRĂ - ASAS of Romania (RO);
- Ph.D. Eng. Aurel BADIU- ASAS of Romania (RO);
- Prof. Ph.D. Eng. Ioan Jeleu- ASAS of Romania (RO);
- Ph.D. Eng. Ion PIRNĂ - ASAS of Romania (RO);
- Ph.D. Eng. Mihai NICOLESCU - ASAS of Romania (RO)
- Ph.D. Eng. Vergil GĂNGU - ASAS of Romania (RO)

**ISB-INMA-TEH' 2023**

<p><i>NATIONAL INSTITUTE FOR RESEARCH - DEVELOPMENT OF MACHINES AND INSTALLATIONS DESIGNED FOR AGRICULTURE AND FOOD INDUSTRY</i> - INMA Bucharest</p> <p>6 Ion Ionescu de la Brad Blvd., sector 1, Bucharest</p>	<p><i>BIOTECHNICAL SYSTEMS ENGINEERING</i> - ISB Bucharest</p> <p>290 Splaiul Independenței Str., sector 6, Bucharest</p>
--	---

**Print: ISSN 2344 - 4118**  
**CD-ROM: ISSN 2344 - 4126**  
**Online: ISSN 2537 - 3773**  
**ISSN-L 2344 – 4118**

**Indexed in CAB DIRECT, <http://www.cabdirect.org/> , Index Copernicus**  
Edited: **INMA Bucharest**

Conținutul și formularea articolelor publicate în prezentul volum aparțin în totalitate autorilor și nu reprezintă punctele de vedere ale INMA și/sau ISB, sau ale editorilor simpozionului.  
Potrivit legii, responsabilitatea pentru conținutul articolelor aparține **exclusiv** autorilor articolelor.

## CONTENTS

No.	Article Title & Authors	page
1.	<p>THE UTILITY OF ROBOTIC SYSTEMS IN AQUACULTURE  <b>UTILITATEA SISTEMELOR ROBOTICE ÎN ACVACULTURĂ</b>            Dan CUJBESCU, Alexandru IONESCU, Cătălin PERSU, Ana Maria TĂBĂRAȘU, Dragoș ANGHELACHE</p>	14
2.	<p>TECHNICAL SOLUTIONS REGARDING UNDERWATER INSPECTION METHODS ACCORDING TO THE AQUACULTURE            4.0 CONCEPT  <b>SOLUȚII TEHNICE PRIVIND METODELE DE INSPECȚIE SUBACVATICĂ CONFORM CONCEPTULUI DE            ACVACULTURĂ 4.0</b>            Dan CUJBESCU, Dragoș ANGHELACHE, Alexandru IONESCU, Ana Maria TĂBĂRAȘU, Robert CRISTEA,            Dragoș DUMITRU</p>	20
3.	<p>SIMULATION OF PLANT GROWTH IN DIFFERENT CONDITIONS  <b>SIMULAREA CREȘTERII PLANTELOR ÎN DIFERITE CONDIȚII</b>            Iuliana GĂGEANU, Ana-Maria TĂBĂRAȘU, Oana-Elena MILEA, Gabriel GHEORGHE, Mihaela NIȚU</p>	26
4.	<p>MAXIMISING PRECISION AND ACCURACY IN SOIL SAMPLING USING AUTOMATED            TECHNOLOGICAL PROCESSES  <b>MAXIMIZAREA PRECIZIEI ȘI ACURATEȚEI ÎN PRELEVAREA DE PROBE DE SOL CU AJUTORUL            PROCEDEELOR TEHNOLOGICE AUTOMATIZATE</b>            Alexandru IONESCU, Mario CRISTEA, Mihai MATACHE, Costin MIRCEA, Gheorghe STROESCU, Iulian DUMITRU</p>	32
5.	<p>OPTIMIZATION OF THE WORKING PROCESS OF THE TECHNICAL EQUIPMENT            INTENDED FOR THE EXTRACTION AND REPLANTING OF PLANTS WITH SOIL PALE            AT THE ROOT  <b>OPTIMIZAREA PROCESULUI DE LUCRU AL ECHIPAMENTELOR TEHNICE DESTINATE            EXTRAGERII ȘI REPLANTĂRII PLANTELOR CU SOLUL DESCHIS LA CULOARE LA RĂDĂCINI</b>            Gheorghe STROESCU, Alexandru IONESCU, Mihaela NAGHY, Cătălin PERSU, Alexandru ZAICA, Ana ZAICA</p>	40
6.	<p>NEW TECHNOLOGIES AND TEHNICAL EQUIPMENT FOR FRUIT FARMS  <b>TEHNOLOGII ȘI ECHIPAMENTE TEHNICE NOI DESTINATE FERMELOR POMICOLE</b>            Gheorghe STROESCU, Alexandru IONESCU, Cătălin PERSU, Lucreția POPA, Cristian SORICĂ, Costin MIRCEA</p>	48
7.	<p>EVALUATION OF THE THERMAL BEHAVIOR OF PLANTS IN THE MICROGREENHOUSE WITH            MICROBOLOMETRIC IMAGE SENSORS  <b>EVALUAREA COMPORTARII TERMICE A PLANTELOR IN MICROSEREA CU SENZORI DE IMAGINE            MICROBOLOMETRICI</b>            George IPATE, Constantin Daniel COTICI, Daiana Alina IONESCU, Viorel FATU, Iuliana GAGEANU, Dan CUJBESCU</p>	58
8.	<p>EVOLUTION OF AGRICULTURE IN THE CONTEXT OF CLIMATE CHANGES  <b>EVOLUȚIA AGRICULTURII ÎN CONTEXTUL SCHIMBĂRIILOR CLIMATICE</b>            Ana-Maria TĂBĂRAȘU, Iuliana GĂGEANU, Dragoș-Nicolae ANGHELACHE, Cătălin PERSU, Dan CUJBESCU,            Oana-Elena MILEA</p>	66
9.	<p>THE CONCEPT OF AQUAPONIC AGRICULTURE  <b>CONCEPTUL DE AGRICULTURA ACVAPONICĂ</b>            Iulian VOICEA, Nicoleta VANGHELE, Florin NENCIU, Cătălin PERSU, Dan CUJBESCU, Remus OPRESCU, Viorel FATU,            Roxana ZAHARIA, Elena SIRBU, Vlad Nicolae ARSENOAIA</p>	72
10.	<p>CURRENT STAGE OF AQUAPONIC SYSTEMS  <b>STADIUL ACTUAL AL SISTEMELOR ACVAPONICE</b>            Iulian VOICEA, Andreea MATACHE, Florin NENCIU, Cătălin PERSU, Dan CUJBESCU, Remus OPRESCU, Roxana ZAHARIA,            Viorel FATU, Elena SIRBU, Vlad Nicolae ARSENOAIA</p>	78
11.	<p>CONSIDERATIONS ON THE IMPORTANCE OF VERMICOMPOST PRODUCTION  <b>CONSIDERAȚII PRIVIND IMPORTANȚA PRODUCERII VERMICOMPOSTULUI</b>            Costin MIRCEA, Alexandru IONESCU, Iulian DUMITRU</p>	88
12.	<p>CONSIDERATIONS REGARDING THE TYPES OF FLAT AND CYLINDRICAL SIEVES INTENDED            FOR SEED SEPARATION  <b>CONSIDERAȚII PRIVIND TIPURILE DE SITE PLANE ȘI CILINDRICE DESTINATE SEPARĂRII            SEMINȚELOR</b>            Costin MIRCEA, Alexandru IONESCU, Iulian DUMITRU</p>	92

No.	Article Title & Authors	page
13.	<p><b>ASPECTS REGARDING THE BASIC ELEMENTS OF THE GAS COLLECTION SYSTEM AT MUNICIPAL WASTE LANDFILLS</b>  <b>ASPECTE PRIVIND ELEMENTELE DE BAZĂ ALE SISTEMULUI DE COLECTARE A GAZULUI LA DEPOZITELE DE DEȘEURI MUNICIPALE</b>  Gheorghe VOICU, Sorin MATEI, Bianca-Stefania ZABAVA, Paula TUDOR, Gabriel Alexandru CONSTANTIN</p>	98
14.	<p><b>AWARENESS OF THE IMPORTANCE OF APPROACHING PRODUCTION EQUIPMENT MAINTENANCE IN A STRUCTURED WAY</b>  <b>CONSTIENTIZAREA IMPORTANTEI ABORDARII MENTENANTEI ECHIPAMENTELOR DE PRODUCTIE INTR-UN MOD STRUCTURAT</b>  Carmen BRACACESCU, Oana-Diana CRISTEA, Raluca-Veronica BRACACESCU</p>	104
15.	<p><b>ESTIMATION OF THE THERMAL EFFECT OF SUNFLOWER OIL PHOSPHATIDE CONCENTRATE DEGREASING PROCESS WITH ISOPROPYL ALCOHOL ON THE INACTIVATION OF PHOSPHOLIPID</b>  <b>ОЦІНКА ТЕРМІЧНОГО ВПЛИВУ ПРОЦЕСУ ЗНЕЖИРЕННЯ ФОСФАТИДНОГО КОНЦЕНТРАТУ СОНЯШНИКОВОЇ ОЛІЇ ІЗОПРОПІЛОВИМ СПИРТОМ НА ІНАКТИВАЦІЮ ФОСФОЛІПІДІВ</b>  Maryna LUTSENKO, Viktoriia KALYNA, Mykola KHARYTONOV, Svitlana LEMISHKO</p>	110
16.	<p><b>COMPARATIVE ANALYSIS OF PNEUMATIC TRANSPORT TECHNOLOGIES: A REVIEW OF DESIGN, PERFORMANCE, AND ENERGY EFFICIENCY</b>  <b>ANALIZA COMPARATIVĂ A TEHNOLOGIILOR DE TRANSPORT PNEUMATIC: UN REVIEW AL PROIECTĂRII, PERFORMANȚEI ȘI EFICIENȚEI ENERGETICE</b>  Neluș-Evelin GHEORGHIȚĂ, Sorin-Ștefan BIRIȘ, Raluca-Adriana ZOTA, Nicoleta UNGUREANU</p>	118
17.	<p><b>SOWING MACHINE FOR EXPERIMENTAL PLOTS, MSCE 9 TYPE</b>  <b>MAȘINĂ DE SEMĂNAT CÂMPURI EXPERIMENTALE, TIP MSCE 9</b>  Tudor Adrian ENE, Vasile MOCANU</p>	124
18.	<p><b>EXPERIMENTAL RESEARCHES ON ENERGY CONSUMPTION FOR OBTAINING ROSEHIP POWDER USING A MILL FOR HARD PRODUCTS</b>  <b>CERCETĂRI EXPERIMENTALE PRIVIND CONSUMUL DE ENERGIE LA OBȚINEREA PULBERII DE MĂCEȘE UTILIZÂND O MOARĂ PENTRU PRODUSE DURE</b>  Alina-Daiana IONESCU, Gheorghe VOICU, Mihaela BEGEA, Mariana-Gabriela MUNTEANU, Neluș-Evelin GHEORGHIȚĂ, Gabriel-Alexandru CONSTANTIN</p>	130
19.	<p><b>DIGITALIZATION IN THE AGRICULTURAL SECTOR</b>  <b>DIGITALIZAREA ÎN SECTORUL AGRICOL</b>  Vlad Nicolae ARSENOAIA, Iulian VOICEA, Florin NENCIU, Catalin PERSU, Dan CUJBESCU, Viorel FATU</p>	138
20.	<p><b>ECOLOGICAL ASSESSMENT OF OVERBURDEN ROCKS AFTER A LONG PHYTOMELIORATION PROCESS</b>  <b>ЕКОЛОГІЧНА ОЦІНКА РОЗКРИВНИХ ГІРСЬКИХ ПОРІД ПІСЛЯ ТРИВАЛОГО ПРОЦЕСУ ФІТОМЕЛІОРАЦІЇ</b>  Mykola KHARYTONOV, Mykhailo BABENKO, Nadia MARTYNOVA, José D. RUIZ SINOGA, Marina López CLAROS, Ana Triano CORNEJO</p>	144
21.	<p><b>ANALYSIS OF THE NATURAL FRAMEWORK IN THE MUNICIPALITY OF ROSIORI DE VEDE-TELEORMAN</b>  <b>ANALIZA CADRULUI NATURAL DIN MUNICIPIUL ROȘIORI DE VEDE-TELEORMAN</b>  Maria-Magdalena CERNAT POPA, Carmen-Otilia RUSĂNESCU, Gigel PARASCHIV, Gheorghe VOICU, Irina Aura ISTRATE</p>	152
22.	<p><b>VEGETABLE WASTE MANAGEMENT IN DOLJ COUNTY</b>  <b>MANAGEMENTUL DEȘEURILOR VEGETALE DIN JUDEȚUL DOLJ</b>  Maria MONDESCU (CIOBANU), Raluca Lucia DINCULOIU, Carmen-Otilia RUSĂNESCU, Gigel PARASCHIV, Gheorghe VOICU, Irina Aura ISTRATE</p>	158
23.	<p><b>DYNAMIC ANALYSIS OF THE PERFORMANCE OF THE WASTEWATER TREATMENT STATION IN THE MUNICIPALITY OF ALEXANDRIA</b>  <b>ANALIZA DINAMICII PERFORMANȚELOR STAȚIEI DE EPURARE A APELOR UZATE DIN MUNICIPIUL ALEXANDRIA</b>  Eugen MARIN, Dana Madalina MARIN, Carmen Otilia RUSANESCU, Gigel PARASCHIV, Irina Aura ISTRATE</p>	164
24.	<p><b>A CORELATION BETWEEN THE COEFFICIENT OF FRICTION AND BRAKING DISTANCE AND TIME</b>  <b>O CORELAȚIE ÎNTRE COEFICIENTUL DE FRECARĂ ȘI DISTANȚA ȘI TIMPUL DE FRÂNARE</b>  Andreea-Catalina CRISTESCU, Ilie FILIP, George IPATE, Gheorghe VOICU, Lucretia POPA, Vasiliica STEFAN, Catalin PERSU</p>	172

No.	Article Title & Authors	page
25.	<p align="center"><b>REMEDY OF SOILS CONTAMINATED WITH PETROLEUM HYDROCARBONS USING BIODEGRADABLE ABSORBENT</b></p> <p align="center"><b>REMEDIEREA SOLURILOR POLUATE CU HIDROCARBURI PETROLIERE UTILIZAND ABSORBANT BIODEGRADABIL</b></p> <p align="center">Carmen - Otilia RUSĂNESCU, Irina-Aura ISTRATE, Gabriel Alexandru CONSTANTIN, Gigel PARASCHIV, Gheorghe VOICU, Sorin Ștefan BIRIȘ, Georgiana MOICEANU, Andra Claudia BRATU</p>	180
26.	<p align="center"><b>INTELLIGENT DEVICES FOR THE REMOVAL OF PEST BIRDS FROM ORCHARDS AND VINEYARDS</b></p> <p align="center"><b>DISPOZITIVE INTELIGENTE PENTRU ÎNDEPĂRTAREA PĂȘĂRILOR DĂUNĂTOARE DIN LIVEZI ȘI POTGORII</b></p> <p align="center">Nicoleta - Alexandra VANGHELE, Andreea MATAACHE, Augustina PRUTEANU, Florin NENCIU</p>	186
27.	<p align="center"><b>WASTE RECOVERY FOR ENVIRONMENTAL PROTECTION</b></p> <p align="center"><b>VALORIFICAREA DESEURILOR IN VEDEREA PROTECTIEI MEDIULUI</b></p> <p align="center">Gabriel POPESCU, Nicoleta Raluca JIANU, Ioana Corina MOGA, Iulian VOICEA, Aneta CHIVOIU, Mirela SIMION, Elena Laura TROANCĂ</p>	192
28.	<p align="center"><b>INCREASING PERFORMANCE IN AGRICULTURE THROUGH THE USE OF RENEWABLE ENERGY SOURCES</b></p> <p align="center"><b>CREȘTEREA PERFORMANȚELOR ÎN AGRICULTURĂ PRIN UTILIZAREA SURSELOR REGENERABILE DE ENERGIE</b></p> <p align="center">Gabriel POPESCU, Ioana Corina MOGA, Iulian VOICEA, Lavinia UDREA</p>	198
29.	<p align="center"><b>DESIGN OF AN EXPERIMENTAL MODEL FOR A RAS MONITORING SYSTEM</b></p> <p align="center"><b>PROIECTAREA UNUI MODEL EXPERIMENTAL PENTRU UN SISTEM DE MONITORIZARE RAS</b></p> <p align="center">Vasile GHERMAN, Radu POPA, Ioana Corina MOGA, Vily Marius CIMPOIASU</p>	202
30.	<p align="center"><b>THE IMPACT OF SOIL PROPERTIES ON LEACHATE CHARACTERISTICS AND AVOCADO SEEDLINGS GROWTH</b></p> <p align="center"><b>EL IMPACTO DE LAS PROPIEDADES DEL SUELO EN LAS CARACTERÍSTICAS DE LOS LIXIVIADOS Y EL CRECIMIENTO DE LAS PLÁNTULAS DE AGUACATE</b></p> <p align="center">Paloma HUESO GONZALEZ, José D. RUIZ-SINOGA, Concepción Moreno Alarcón, Manuel PERALES VALLEJO, Jose Jorge GONZÁLEZ FERNANDEZ, Mykola KHARYTONOV</p>	206
31.	<p align="center"><b>THE IMPORTANCE OF SAFFLOWER (<i>CARTHAMUS TINCTORIUS</i> L., <i>ASTERACEAE</i> FAM.)</b></p> <p align="center"><b>IMPORTANȚA ȘOFRĂNELULUI (<i>CARTHAMUS TINCTORIUS</i> L., <i>FAM. ASTERACEAE</i>)</b></p> <p align="center">Adriana MUSCALU, Cătălina TUDORA, Cristian SORICĂ, Dragoș ANGHELACHE, Alexandru IONESCU, Oana MÎRZAN</p>	212
32.	<p align="center"><b>EXTRACTION METHODS AND USES OF SAFFLOWER (<i>CARTHAMUS TINCTORIUS</i> L., <i>ASTERACEAE</i> FAMILY) OIL</b></p> <p align="center"><b>METODE DE EXTRACTIE ȘI UTILIZĂRI ALE ULEIULUI DE ȘOFRĂNEL (<i>CARTHAMUS TINCTORIUS</i> L., <i>FAM. ASTERACEAE</i>)</b></p> <p align="center">Adriana MUSCALU, Cătălina TUDORA, Cristian SORICĂ, Dragoș ANGHELACHE, Alexandru IONESCU, Mihai CONSTANTINESCU, Margareta NAIE</p>	218
33.	<p align="center"><b>NANOTECHNOLOGIES IN PLANT PROTECTION AS PART OF ENVIRONMENT PROTECTION AND SUSTAINABLE DEVELOPMENT</b></p> <p align="center"><b>NANOTEHNOLOGII ÎN PROTECȚIA PLANTELOR CA PARTE A PROTECȚIEI MEDIULUI ȘI A DEZVOLTĂRII DURABILE</b></p> <p align="center">Sergiu FENDRIHAN, Marian LIXANDRU, Garbis VASILIGHEAN</p>	226
34.	<p align="center"><b>RESISTANCE TO TREATMENTS OF OVERWINTERING FORMS OF DOWNY MILDEW <i>PLASMOPARA VITICOLA</i> AND CONSEQUENCES FOR ITS CONTROL</b></p> <p align="center"><b>REZISTENTA LA TRATAMENTE A FORMELOR DE IERNARE A MANEI VITEI DE VIE (<i>PLASMOPARA VITICOLA</i>) SI CONSECINTELE PENTRU COMBATEREA MANEI</b></p> <p align="center">Marian LIXANDRU, Sergiu FENDRIHAN</p>	236
35.	<p align="center"><b>WAYS TO REDUCE/ELIMINATE ALLERGENICITY OF THE WHEAT GLUTEN THROUGH DIFFERENT BIO-PROCESSING METHODS</b></p> <p align="center"><b>MODALITĂȚI DE REDUCERE/ELIMINARE A ALERGENICITĂȚII GLUTENULUI DIN GRÂU PRIN DIFERITE METODE DE BIO-PROCESARE</b></p> <p align="center">Mihai Bogdan NICOLCIOIU, Alina CULEȚU, David Lucian COMANICIU</p>	242

No.	Article Title & Authors	page
36.	<b>JERUSALEM ARTICHOKE – REVALUATION AS BIOMASS SOURCES FOR FOOD AND ENERGY PRODUCTS AND BY-PRODUCTS</b> <b>TOPINAMBURUL – SURSĂ DE BIOMASĂ PENTRU VALORIFICARE SUB FORMĂ DE PRODUSE ȘI SUBPRODUSE ALIMENTARE ȘI ENERGETICE</b> Paula - Lucelia PINTILIE, Simona - Florina ISTICIOAIA, Oana MÎRZAN, Elena TROTUȘ, Roxana - Georgiana AMARGHIOALEI, Alexandra LEONTE, Andreea - Sabina PINTILIE, Nicolae-Valentin VLĂDUȚ, Ramona - Georgeta OLARU	248
37.	<b>MANAGEMENT OF WASTE AND BY-PRODUCTS FROM MEAT INDUSTRY</b> <b>MANAGEMENTUL DEȘEURILOR ȘI SUBPRODUSELOR DIN INDUSTRIA CĂRNII</b> Nicoleta UNGUREANU, Nicolae-Valentin VLĂDUȚ, Sorin-Ștefan BIRIȘ, Neluș-Evelin GHEORGHÎȚĂ, Mariana IONESCU, Oana Elena MILEA, Mirela DINCĂ	256
38.	<b>CONSIDERATIONS ON THE RISK OF CHEMICAL CONTAMINATION WHEN IRRIGATING WITH WASTEWATER</b> <b>CONSIDERAȚII ASUPRA RISCULUI DE CONTAMINARE CHIMICĂ LA IRIGAREA CU APĂ UZATĂ</b> Nicoleta UNGUREANU, Nicolae-Valentin VLĂDUȚ, Sorin-Ștefan BIRIȘ, Oana Elena MILEA, Sorin Dan IORDACHE	270
39.	<b>MINERAL CONTENTS IN SWEET SORGHUM JUICE</b> <b>CONȚINUTUL DE MINERALE DIN SUCUL DE SORG DULCE</b> Georgiana-Luminița MIHĂILĂ, Sorin-Ștefan BIRIȘ, Nicolae-Valentin VLĂDUȚ, Mihai OLAN, Evelin GHEORGHÎȚĂ	280
40.	<b>EXPERIMENTAL STUDY OF THE ACOUSTIC CHARACTERISTICS OF A DIAPHRAGM TUBULAR RESONATOR</b> <b>STUDIUL EXPERIMENTAL AL CARACTERISTICILOR ACUSTICE ALE UNUI REZONATOR TUBULAR CU DIAFRAGMĂ</b> Nicolaie ORAȘANU, Andrei CRAIFALEANU, Cristian George DRAGOMIRESCU	286
41.	<b>SOME ASPECTS AND CONSIDERATIONS ABOUT AIRPORT NOISE MONITORING</b> <b>CÂTEVA ASPECTE ȘI CONSIDERAȚII DESPRE MONITORIZAREA ZGOMOTULUI ÎN AEROPORT</b> Nicolaie ORAȘANU, Marius DEACONU, Laurențiu CRISTE, Ioan MAGHEȚI	294
42.	<b>AGRICULTURAL PRACTICES FRIENDLY WITH THE SOIL</b> <b>PRACTICI AGRICOLE PRIETENOASE CU SOLUL</b> Elena-Melania CISMARU, Dragoș MANEA, Eugen MARIN, Carmen BĂLȚATU, Marinela MATEESCU	302
43.	<b>SOIL HEALTH POLICIES IN THE EUROPEAN UNION</b> <b>POLITICILE PRIVIND SĂNĂTATEA SOLULUI ÎN UNIUNEA EUROPEANĂ</b> Dragoș MANEA, Eugen MARIN, Carmen BĂLȚATU, Elena-Melania CISMARU, Marinela MATEESCU	312
44.	<b>THE USE OF ANTIBIOTICS IN ORCHARDS: ADVANTAGES, DANGERS AND ECOLOGICAL ALTERNATIVES</b> <b>UTILIZAREA ANTIBIOTICELOR ÎN LIVEZI: AVANTAJE, PERICOLE ȘI ALTERNATIVE ECOLOGICE</b> Andreea MATACHE, Florin NENCIU, Nicoleta Alexandra VANGHELE, Gabriel NAE	322
45.	<b>RESEARCH ON THE DEVELOPMENT OF AN INNOVATIVE ENERGY INDEPENDENT SYSTEM FOR THE IRRIGATION OF AGRICULTURAL CROPS</b> <b>CERCETĂRI PRIVIND DEZVOLTAREA UNUI SISTEM INOVATIV INDEPENDENT ENERGETIC DESTINAT PENTRU IRIGAREA CULTURILOR AGRICOLE</b> Marinela MATEESCU, Eugen MARIN, Dragoș MANEA, Gabriel-Valentin GHEORGHE, Carmen BĂLȚATU, Dragoș-Nicolae DUMITRU, Dragoș-Mihail PREDA, Bogdan-Ovidiu DURAN, Oana-Diana MANOLELI PREDA, Daniel-Beniamin CEASU	328
46.	<b>RESEARCH ON THE DEVELOPMENT OF AN INNOVATIVE VIBRATORY SYSTEM FOR IN OPERATION AND MANUFACTURING PLOUGHS</b> <b>CERCETĂRI PRIVIND DEZVOLTAREA UNUI SISTEM VIBRATOR INOVATIV DESTINAT PLUGURILOR CU TRUPIȚE AFLATE ÎN EXPLOATARE ȘI ÎN FABRICAȚIE</b> Marinela MATEESCU, Eugen MARIN, Dragoș MANEA, Gabriel-Valentin GHEORGHE, Carmen BĂLȚATU, Elena-Melania CISMARU, Dragoș-Nicolae DUMITRU, Daniel LATEȘ, Claudiu-Alexandru OPREA, Norbert-Csaba SZEKELY	336
47.	<b>RESEARCH ON TRENDS IN THE CONSTRUCTION OF TECHNICAL GRASS SOWING EQUIPMENT</b> <b>CERCETĂRI PRIVIND TENDINȚELE ÎN CONSTRUCȚIA ECHIPAMENTELOR TEHNICE DE SEMANAT IERBURI</b> Eugen MARIN, Dragoș MANEA, Gabriel-Valentin GHEORGHE, Marinela MATEESCU, Carmen BĂLȚATU, Elena-Melania CISMARU, Dragoș-Nicolae DUMITRU	344
48.	<b>EFFECT OF OZONE TREATMENT AND STORAGE TEMPERATURE ON THE STORAGE ABILITY OF DATE PALM FRUITS (PHOENIX DACTYLIFERA L.) CV. MEDJOOL</b> <b>تأثير المعاملة بالأوزون ودرجة حرارة الخزن في القابلية التخزينية لثمر النخيل صنف مجهول</b> Hamza Abbas HAMZA, Enas Riyad MAJEED, Dhia Ahmed TAAIN, Ibtihal Issa HAMZAH	348



No.	Article Title & Authors	page
49.	<p><b>DETERMINING THE NOISE EMISSION PRODUCED BY A CHAIN SAW AND HIGHLIGHTING THE DIRECTIONS OF NOISE PROPAGATION</b>  <b>DETERMINAREA EMISIEI DE ZGOMOT PRODUSĂ DE UN MOTOFERĂSTRĂU ȘI PUNEREA ÎN EVIDENȚĂ A DIRECȚIILOR DE PROPAGARE A ZGOMOTULUI</b>            Elena SORICĂ, Gabriel Valentin GHEORGHE, Cristian SORICĂ, Carmen BRĂCĂCESCU, Andreea – Iulia GRIGORE, Laurentiu VLADUȚOIU, Gheorghe Valentin NAE</p>	356
50.	<p><b>RESEARCH ON THE DEVELOPMENT OF AN AGRICULTURAL PLOUGH WITH TRACKS EQUIPPED WITH DRILLERS</b>  <b>CERCETĂRI PRIVIND DEZVOLTAREA UNUI PLUG AGRICOL CU TRUPIȚE ECHIPATE CU SCORMONITORI</b>            Eugen MARIN, Dragoș MANEA, Gabriel-Valentin GHEORGHE, Marinela MATEESCU, Carmen BĂLȚATU, Elena-Melania CISMARU, Dragoș-Nicolae DUMITRU</p>	362
51.	<p><b>RESEARCH ON THE DEVELOPMENT OF A TECHNICAL EQUIPMENT FOR THE INCORPORATION INTO THE ARABLE SUBSTRATE OF A BIOFERTILIZER FORMULATED BASED ON SOIL BENEFICIAL MICROORGANISMS</b>  <b>CERCETĂRI PRIVIND DEZVOLTAREA UNUI ECHIPAMENT TEHNIC DE ÎNCORPORAT ÎN SUBSTRATUL ARABIL A UNUI BIOFERTILIZANT FORMULAT PE BAZĂ DE MICROORGANISME BENEFICE SOLULUI</b>            Eugen MARIN*, Dragoș MANEA, Gabriel-Valentin GHEORGHE, Marinela MATEESCU, Carmen BĂLȚATU, Elena-Melania CISMARU, Dragoș-Nicolae DUMITRU</p>	368
52.	<p><b>UTILIZATION OF DIGESTATE RESULTED FROM BIOGAS PLANTS AS FERTILIZER IN AGRICULTURE</b>  <b>UTILIZAREA DIGESTATULUI REZULTAT DE LA STAȚIILE DE BIOGAZ CA FERTILIZANT ÎN AGRICULTURĂ</b>            Mirela DINCĂ, Irina ISTRATE, Gigel PARASCHIV, Mariana FERDEȘ, Mariana IONESCU, Bianca - Ștefania ZĂBAVĂ</p>	376
53.	<p><b>ORGANIC WASTE COMPOSTING, A PRACTICE FOR SUSTAINABLE AGRICULTURE</b>  <b>COMPOSTAREA DEȘEURILOR ORGANICE, O PRACTICĂ PENTRU AGRICULTURA DURABILĂ</b>            Mirela DINCĂ, Gabriel - Alexandru CONSTANTIN, Mariana FERDEȘ, Gigel PARASCHIV, Mariana IONESCU, Georgiana MOICEANU, Nicoleta UNGUREANU</p>	384
54.	<p><b>MICROBIAL SOIL BIOREMEDIATION WITH LACCASES-PRODUCING FUNGI</b>  <b>BIOREMEDIEREA MICROBIANĂ A SOLULUI CU FUNGI PRODUCATORI DE LACAZE</b>            Mariana FERDEȘ, Irina ISTRATE, Mirela DINCĂ, Bianca - Ștefania ZĂBAVĂ, Mariana IONESCU</p>	392
55.	<p><b>INTEGRAL VALORIZATION OF OLEAGINOUS CROPS - A REVIEW</b>  <b>VALORIFICAREA INTEGRALA A CULTURILOR OLEAGINOASE – REVIEW</b>            Mariana IONESCU, Gigel Paraschiv, Mariana FERDEȘ, Mirela DINCĂ, Bianca - Ștefania ZĂBAVĂ, Georgiana MOICEANU, Nicoleta UNGUREANU</p>	398
56.	<p><b>STUDY OF THE EFFECTS OF VIBRATION TRANSMISSION IN OPERATORS OF ELECTRIC TRACTORS DRIVEN AT CONSTANT SPEED ON DIFFERENT TYPES OF ROADS</b>  <b>STUDIUL EFECTELOR TRANSMISIEI VIBRAȚIILOR LA OPERATORII DE TRACTOARE ELECTRICE CONDUSE CU VITEZĂ CONSTANTĂ PE DIFERITE TIPURI DE DRUMURI</b>            Teofil - Alin ONCESCU, Ioan Cătălin PERSU, Daniela TARNIȚĂ, Marius Valentin VÎLCELEANU, Sorin Ștefan BIRIȘ</p>	406
57.	<p><b>THE MEASUREMENT AND EVALUATION OF THE LARGE AGRICULTURAL TRACTOR OPERATOR'S WHOLE-BODY VIBRATION FOR FOUR TYPES OF LAND AND TWO RUNNING SPEEDS</b>  <b>MĂSURAREA ȘI EVALUAREA VIBRAȚIILOR ASUPRA ÎNTREGULUI CORP AL OPERATORULUI DE TRACTOAR AGRICOL MARE PENTRU PATRU TIPURI DE TEREN ȘI DOUĂ TIPURI DE VITEZE DE LUCRU</b>            Teofil-Alin ONCESCU, Cătălin PERSU, Daniela TARNIȚĂ, Sorin BIRIȘ, Nicolae TUNSOIU, Ovidiu Constantin FUDULACHE</p>	412
58.	<p><b>ASPECTS REGARDING THE PHYSICAL CHARACTERISTICS OF BLUE MOLD CHEESE DURING RIPENING PROCESS</b>  <b>ASPECTE PRIVIND CARACTERISTICILE FIZICE ALE BRÂNZETURILOR CU MUCEGAI ALBASTRU LA MATURARE</b>            Gratiela-Florinela PANA, Paula TUDOR, Alexandru CIRIC, Elena-Madalina STEFAN, Mihaela BEGEA, Gheorghe VOICU</p>	424

<b>No.</b>	<b>Article Title &amp; Authors</b>	<b>page</b>
59.	<b>CONSIDERATIONS REGARDING THE USE OF MULCH IN SOIL MAINTENANCE TECHNOLOGY IN ARID AREAS</b> <b>CONSIDERAȚII PRIVIND UTILIZAREA MULCILOR ÎN TEHNOLOGIA DE ÎNTREȚINERE A SOLULUI ÎN ZONELE ARIDE</b> Mariana EPURE, Iulian DUMITRU, Costin MIRCEA, Cristinel DUMITRU, Monica CATANĂ, Mihai OLAN, Nicoleta UNGUREANU, Sorin-Ștefan BIRIȘ, Oana-Elena MILEA, Lorena-Diana POPA, Simona ISTICIOAIA, Sorin BUNGESCU, Gheorghe MATE, Sorin BORUZ, Atanas ATANASOV, Nicolae-Valentin VLĂDUȚ	430

# EFFECT OF OZONE TREATMENT AND STORAGE TEMPERATURE ON THE STORAGE ABILITY OF DATE PALM FRUITS (*PHOENIX DACTYLIFERA L.*) CV. MEDJOOOL

/

تأثير المعاملة بالأوزون ودرجة حرارة الخزن في القابلية الخزن لثمار النخيل صنف مجهول

Hamza Abbas HAMZA, Enas Riyad MAJEED, Dhia Ahmed TAAIN, Ibtihal Issa HAMZAH\*

Department of Horticulture and Landscape Design, College of Agriculture University of Basrah / Iraq

\*E-mail:golden\_fruit@yahoo.com

**Keywords:** Date palm fruits, Medjool cultivar, storage, decay percentage, water content

## ABSTRACT

This study was conducted during the agricultural season 2021-2022 on the fruits of date palm, Medjool cultivar, where the fruits were brought from one of the private orchards belonging to the Shatt Al-Arab district in Basrah Governorate, on 9/3/2021, and the experiment was carried out as a factorial experiment according to the Complete Randomized Design (CRD), with three replicates for each treatment. The experiment included three factors, the first was the evaporation with ozone gas at concentrations of 0, 2.500 and 5000 ppm, the second factor was the storage of fruits at three temperatures (5°C, 10 °C and 25°C), while the third factor was the storage period which extended six months. Fruits were packed in plastic containers with a capacity of 250 g before storage and the obtained results showed that the treatment with ozone at a concentration of 5000 ppm was superior in reducing the percentage of decay and retaining the water content, the percentage of total soluble solids, and the total acidity of the fruits. The results also showed that fruits stored at 5°C were the best in reducing decay and retained the water content, the percentage of total soluble solids compared to 10°C and 25°C. Stored fruits retained most of their studied characteristics despite the advanced storage period, which reached six months.

## ملخص

أجريت هذه الدراسة خلال الموسم الزراعي 2021-2022 على ثمار نخيل التمر صنف المجهول حيث تم جلب الثمار من أحد البساتين الخاصة التابعة بواقع ثلاث مكررات (CRD) نفذت التجربة كتجربة عاملية وفق التصميم العشوائي الكامل. لقضاء شط العرب في محافظة البصرة بتاريخ 9/3/2021 جزء في المليون، أما العامل الثاني فكان تخزين لكل معاملة. وتضمنت التجربة ثلاثة عوامل أولها التبخير بغاز الأوزون بتركيز 0 و 2.500 و 5000 الثمار عند ثلاث درجات حرارة (5 درجات مئوية، 10 درجات مئوية، 25 درجة مئوية)، أما العامل الثالث فهو مدة التخزين التي امتدت لستة أشهر. وتم وأظهرت النتائج المتحصل عليها تفوق المعاملة بالأوزون بتركيز 5000 جزء بالمليون في. غم قبل التخزين 250 تعينة الثمار في عبوات بلاستيكية سعة كما أظهرت النتائج أن الثمار المخزنة عند خفض نسبة التلف والاحتفاظ بالمحتوى المائي، ونسبة المواد الصلبة الذائبة الكلية، والحموضة الكلية للثمار احتفظت الثمار المخزنة. درجة 5 م كانت الأفضل في تقليل التلف واحتفاظها بالمحتوى المائي والمواد الصلبة الذائبة مقارنة بدرجتي 10 م و 25 م بمعظم صفاتها بالرغم من وصول مدة التخزين الى ستة أشهر

## INTRODUCTION

The date palm (*Phoenix dactylifera L.*) is considered an evergreen fruit tree, belongs to the family Arecaceae and to the order Arecales. It is one of the monocotyledonous fruit trees and the Arabian Gulf region is considered one of the largest and most important areas of date palm trees in the world. Among them, the cultivation of date palm trees spread to all regions with suitable weather (Al-Jubouri, 2002).

In view of the importance of Medjool cultivar, which is one of the Moroccan cultivars, that entered Iraq recently through tissue culture technique, and is characterized by good taste and the large fleshy layer compared to the small seed, which makes it a desirable for the consumer.

Storing fruits at low temperatures is a good way used to reduce or delay the decay percentage of fruits. As low temperatures work to inhibit the activity of microorganisms that cause damage to the fruits and reduce the vital activities in the climacteric fruits, especially the rate of respiration and the production of ethylene and thus delay ripening processes (Taain, 2005; 2014, Al-Amiri, 2010).

Ozone (O<sub>3</sub>) is a natural substance in the atmosphere and one of the powerful disinfectants against a wide range of microorganisms (Khadre and Yousef, 2001). Applied either as a gas or dissolved in water, it can destroy chemical residues on the surface of the fruit and effectively reduce post-harvest losses during storage for several crops (Taain et al., 2019).

The aim of the current study is to improve the storage ability of date palm fruits Cv. Medjool by treating them with ozone and stored at different temperatures.

## MATERIALS AND METHODS

This study was conducted during the agricultural season 2021-2022 on the fruits of date palm, Medjool cultivar. The fruits in the tamir stage were brought from one of the private orchards belonging to the Shatt Al-Arab district in Basrah Governorate, on 9/3/2021, then transferred in the morning to a laboratory of storage technologies in the Department of Horticulture and Landscape Design. The small and damaged fruits were excluded while the selected fruits were evaporated with ozone at concentrations of 0, 2.500, 5000 ppm, then packed in plastic containers of 250g, then divided into three parts. The first was stored in a cold incubator at a temperature of 5°C, the second stored at 10° C. and the third was stored at a room temperature of 25°C for a period of six months from the date of 9/3/2021 until 3/3/2022.

Studied parameters

1. The percentage of decay was calculated as a percentage during storage according to the following formula

$$\text{Percentage of decay} = \frac{\text{Weight of damaged fruits per package}}{\text{Total weight of damaged fruits per package}} \times 100$$

2. Water content of fruits was calculated as a percentage as follows

$$\text{Water content \%} = \frac{\text{Fresh weight of the sample (gm)} - \text{Dry weight of the sample (gm)}}{\text{Fresh weight of the sample (gm)}} \times 100$$

3. Total soluble solids (T.S.S.) of fruit pulps were determined by using hand refractometer and the results were corrected to 20° C (*Shirokov, 1968*).

4. Total titratable acidity (%) determined according to A.O.A.C. (1992).

Complete Randomized Design (CRD) was used with three replicates. The results were analyzed by the analysis of variance and mean values were compared using the Revised Least Significant Difference Test at 0.05 probability level. (*Al-Rawi and Khalf Allah, 1980*).

## RESULTS AND DISCUSSION

The percentage of decay

The results of table .1 showed the effect of ozone treatment, temperature, storage period and the interaction among them on the percentage of decay of date palm fruits cv. Medjool. Where it is noted that the ozone treatment had a significant effect in reducing the percentage of decay, as the lowest percentage was 1.33% for fruits treated with 5000 ppm ozone, while the highest percentage of decay was 5.74% for fruits treated with 0ppm ozone. The treatment maintained the quality of the date palm fruits and significantly reduced the percentage of decay, compared to the fruits of 0 ppm concentration. Ozone gas reduces the percentage of post-harvest decay and reduces the loss of the quality and nutritional value of the fruits during cold storage due to the role of ozone in inhibiting the growth of pathogenic fungi that cause fruit decay (*Amiri, 2016, Taain, 2014*).

The lowest percentage of decay was 1.95% for the fruits stored at a temperature of 5°C, with a significant difference from the rest of the treatments, while the highest percentage of total damage was 5.51% for the fruits stored at a temperature of 25°C. The decrease in the percentage of decay to the fruits stored at a temperature of 5°C, was due to the fact that the low temperatures work to preserve fruit quality compared to storage at room temperature, and the results are consistent with (*Taain, 2005; Al-Amri, 2010; Taain, 2011*). The duration of storage had a significant effect, as it was noted from the table that the percentage of decay increased with the length of the storage period, as the highest percentage reached 11.80% for fruits after six months of storage. As for the effect of the interaction between ozone treatment and temperature, the results indicated that the fruits treated with ozone at a concentration of 5000 ppm and stored at a temperature of 5°C had excelled in reducing the percentage of percentage of decay and recorded the lowest percentage which was 0.55%. As for the percentage of decay for the fruits treated with a concentration of 5000 ppm and stored at a temperature of 10°C recorded 0.88%, while the percentage of decay was 9.31% for fruits treated with ozone at a concentration of 0 ppm and stored at a temperature of 25°C.

The results also showed that the interaction between the ozone treatment and the storage period had a significant effect, as the lowest percentage of decay was 0.00% for the fruits treated with ozone at a concentration of 2.500, 5000 ppm after four months of storage. The highest percentage of decay was 16.64% for fruits treated with 0ppm ozone after six months of storage. As for the interaction between the temperature and the storage period, that had a significant effect on the percentage of decay, as the lowest percentage of decay fruits was 0.00% for the fruits stored at a temperature of 5°C after four months of storage, whereas the highest percentage of decay, which was 5.51% recorded in fruits stored at a temperature of 25 °C after six months of storage. The effect of the interaction between the three studied factors had significant effect on percentage of decay, the highest percentage of decay, for fruits treated with 0 ppm ozone, stored at a temperature of 25°C, after six months of storage, which reached 25.31 %.

**Table 1**

**Effect of ozone treatment, storage temperature and storage period on the percentage of decay of Medjool date palm fruits.**

Ozone	storage temperature	Storage period (month)						Ozone x temperature
		1	2	3	4	5	6	
0 ppm	5° C	0.00	0.00	0.00	0.00	7.26	9.29	2.76
	10° C	0.00	0.00	0.00	5.37	10.27	15.33	5.16
	25° C	0.00	0.00	5.18	10.14	15.22	25.31	9.31
2.500 ppm	5° C	0.00	0.00	0.00	0.00	6.14	9.20	2.55
	10° C	0.00	0.00	0.00	0.00	8.18	12.58	3.46
	25° C	0.00	0.00	0.00	0.00	12.36	15.68	4.67
5000 ppm	5° C	0.00	0.00	0.00	0.00	0.00	3.32	0.55
	10° C	0.00	0.00	0.00	0.00	0.00	5.31	0.88
	25° C	0.00	0.00	0.00	0.00	5.14	10.23	2.56
								Mean values of ozone
Ozone x Storage period	0 ppm	0.00	1.72	0.00	5.17	10.92	16.64	5.74
	2.500ppm	0.00	0.00	0.00	0.00	8.89	12.48	3.56
	5000ppm	0.00	0.00	0.00	0.00	1.71	6.28	1.33
								Mean values of temperature
temperature x Storage period	5° C	0.00	0.00	0.00	0.00	4.47	7.27	1.95
	10° C	0.00	0.00	0.00	1.79	6.15	11.07	3.17
	25° C	0.00	1.72	0.00	3.38	10.91	17.07	5.51
Mean values of storage period		0.00	0.00	0.57	1.72	7.17	11.80	
L.S.D. (0.05)								
Ozone	storage temperature	Storage period	Ozone x temperature	Ozone x Storage period	temperature x Storage period	Ozone x temperature x Storage period		
0.03	0.03	0.05	0.06	0.09	0.09	0.15		

The percentage of water content

Table. 2 showed the effect of ozone treatment, storage temperature, storage period and their interactions on the percentage of water content of Medjool date palm fruits. The results indicated that the ozone treatment had a significant effect on retaining water content in fruits, as the concentration of 5000 ppm gave the highest percentage of water content reached 64.00%, while the lowest percentage of water content

was 60.13% recorded in fruits treated with 0 ppm ozone. The ozone treatment retained the water content of date palm fruits.

As for the effect of storage temperature, the highest percentage of water content was 70.33% for fruits stored at a temperature of 5°C, while the lowest percentage was 52.2% for fruits stored at 25°C. It is clear that the percentage of water content decreased with the elongation of the storage period, reaching the lowest percentage of 60.69% after six months of storage, This is due to the fact that the water content of the fruits decreases due to the evaporation of water from the fruits as a result of the difference in vapor pressure between the moisture of the fruits and the humidity of the storage atmosphere (Taain, 2014). The result of this study agreed with (Al-Barrak, 2009; Attaha and Taain, 2009; Taain, 2011).

The table also showed the effect of the interaction between ozone treatment and storage temperature, as the fruits treated with ozone at a concentration of 5000 ppm and stored at a temperature of 5°C significantly excelled in retaining the percentage of water content, reaching 71.14% as compared to the lowest percentage that was recorded in fruits of 0 ppm ozone stored at 25°C that reaching 49.36%.

The interaction between the ozone treatment and the storage period was significant, where the highest percentage of water content was 65.68% for fruits treated with 5000 ppm ozone after one month of storage, while the lowest percentage of water content was 57.90% for fruits treated with 0 ppm ozone after six months of storage. Regarding to the interaction between the storage temperature and the storage period, the highest percentage of water content was in fruits stored at 5°C after a month of storage which was 72.25%, while the lowest percentage was in fruits stored at 25°C after six months of storage which was 50.74%.

As for the interaction among the three factors, the highest percentage of water content was 72.90% for fruits treated with ozone at a concentration of 5000 ppm after one month of storage at a temperature of 5°C, while the lowest percentage of water content was 50.03% for fruits treated with 0 ppm ozone after six months of storage at 25°C.

Table 2

Effect of ozone treatment, storage temperature and storage period on the percentage of water content of Medjool date palm fruits.

Ozone	storage temperature	Storage period (month)						Ozon x temperature
		1	2	3	4	5	6	
0 ppm	5° C	71.16	70.96	68.43	68.06	67.33	66.43	68.73
	10° C	65.66	64.10	62.40	62.30	60.16	59.23	62.31
	25° C	51.20	50.23	49.26	49.10	48.36	48.03	49.36
2.500 ppm	5° C	72.70	71.76	71.10	71.13	70.63	69.46	71.13
	10° C	69.20	68.13	67.40	66.66	65.23	64.73	66.89
	25° C	54.76	54.13	54.10	53.16	52.80	51.86	53.47
5000 ppm	5° C	72.90	71.96	71.13	70.80	70.13	69.93	71.14
	10° C	69.06	68.93	67.53	66.50	65.16	64.20	66.90
	25° C	55.10	55.00	54.60	53.70	53.06	52.33	53.96
								Mean values of ozone
Ozone x Storage period	0 ppm	62.67	61.76	60.03	59.82	58.62	57.90	60.13
	2.500ppm	65.55	64.67	64.20	63.65	62.88	62.02	63.83
	5000ppm	65.68	65.30	64.42	63.66	62.78	62.15	64.00
								Mean values of temperature
temperature x Storage period	5° C	72.25	71.56	70.22	70.00	69.36	68.61	70.33
	10° C	67.97	67.05	65.77	65.15	63.52	62.72	65.36
	25° C	53.68	53.12	52.65	51.98	51.41	50.74	52.26

Mean values of storage period	64.64	63.91	62.88	62.38	61.43	60.69	
L.S.D. (0.05)							
Ozone	storage temperature	Storage period	Ozone x temperature	Ozone x Storage period	temperature x Storage period	Ozone x temperature x Storage period	
0.10	0.10	0.15	0.18	0.26	0.26	0.46	

The percentage of total soluble solids

It is clear from table. 3 that ozone treatment had a significant effect on the percentage of total soluble solids, as the lowest percentage was recorded at 40.27% at a concentration of 5000 ppm, while the highest one was 43.18% at a concentration of 0 ppm. This results indicate the role of ozone treatment in reducing the loss of the water content of the fruits, as it was negatively reflected on the total soluble solids (*Burton, 1982, Taain, 2005*).

The temperature significantly affected the percentage of total soluble solids, as the lowest percentage was recorded for the fruits stored at 5° C which was 39.41%, while the highest percentage for fruits stored at a temperature of 25° C which reached 45.26%. Studies have shown that the percentage of total soluble solids started to increment gradually until the end of the storage period (*Al-Amri, 2010; Taain, 2011; Taain et al., 2019*). Results indicate that the percentage of total soluble solids increased with the increment of a storage period reached 43.95% after six months of storage. The results are in the same line with (*Benjamin et al., 1985; Youssef and Abu Ali, 1993; Taain, 2010; 2011; 2014; Al-Amri, 2010*), where the results of storage experiments for different cultivars of date palm fruits showed that the total soluble solids in the fruits increased with the elongation of storage period, that mainly due to the reduction of water content and the increment of sugars with the progression of fruits towards ripening.

The interaction between ozone and the storage temperature had a significant effect, as the lowest percentage of total soluble solids was recorded at 44.72% for fruits treated with ozone at a concentration of 5000 ppm and stored at a temperature of 5°C, while the highest percentage was for fruits treated with ozone at a concentration of 0 ppm and stored at a temperature 25°C. As for the interaction between ozone and the storage period, date of the same table showed that the lowest percentage of total soluble solids was 38.81% for fruits treated with 5000 ppm ozone after one month of storage, while the highest percentage reached 44.62% for fruits treated with ozone at a concentration of 0 ppm after six months of storage. The interaction between the storage temperature and the storage period significantly affected the percentage of total soluble solids, as the lowest percentage of total soluble solids was recorded at 37.42% after a month of storage at a temperature of 5° C, while the highest percentage of total soluble solids was 47.26 after six months of storage at temperature 25° C. The effect of the triple interaction was significant, where the lowest percentage of total soluble solids was 35.92% for fruits treated with ozone at a concentration of 5000 ppm after a month of storage at a temperature of 5°C. The highest percentage of total soluble solids was 52.13% for fruits treated with ozone at a concentration of 0 ppm, after six months of storage at 25°C.

**Table 3**

**Effect of ozone treatment, storage temperature and storage period on the percentage of total soluble solids of Medjool date palm fruits.**

Ozone	storage temperature	Storage period (month)						Ozone x temperature
		1	2	3	4	5	6	
0 ppm	5° C	37.31	38.42	39.44	40.17	41.03	42.91	39.88
	10° C	38.26	39.67	40.31	41.22	42.98	44.72	41.19
	25° C	40.52	41.11	43.25	45.21	46.14	52.13	44.72
2.500 ppm	5° C	36.81	37.21	38.14	39.76	40.23	41.23	38.87
	10° C	37.23	38.02	39.72	40.02	41.10	42.93	39.84
	25° C	40.10	41.33	42.43	42.86	43.33	44.23	42.38
5000	5° C	35.92	36.56	37.53	38.72	39.43	40.92	38.18

ppm	10° C	36.71	37.33	39.22	39.91	40.44	41.02	39.11
	25° C	39.22	40.03	40.55	42.23	43.53	44.06	41.60
								Mean values of ozone
Ozone x Storage period	0 ppm	41.32	42.13	43.03	43.85	44.14	44.62	43.18
	2.500ppm	40.09	40.71	41.39	42.12	42.95	43.13	41.73
	5000ppm	38.81	39.35	39.92	40.56	41.05	41.95	40.27
								Mean values of temperature
temperature x Storage period	5° C	37.42	38.21	39.14	39.99	40.46	41.23	39.41
	10° C	39.10	40.26	41.45	42.42	43.65	44.74	41.94
	25° C	42.22	43.45	45.66	46.20	46.78	47.26	45.26
Mean values of storage period		38.74	39.59	40.75	41.68	42.48	43.81	
L.S.D. (0.05)								
Ozone	storage temperature	Storage period	Ozone x temperature	Ozone x Storage period	temperature x Storage period	Ozone x temperature x Storage period		
0.09	0.09	0.13	0.16	0.23	0.23	0.40		

The percentage of total titratable acidity

The results of the table. 4 showed the effect of ozone treatment, storage temperature, storage period and the interaction among them on the percentage of total titratable acidity of Medjool date palm fruits.

The results showed that the highest percentage of total titratable acidity was 0.259% for fruits treated with ozone at a concentration of 5000 ppm, while the lowest percentage was for fruits treated with ozone at a concentration of 0 ppm which reached 0.208%.

The effect of storage temperature was significant, as the highest percentage of total titratable acidity was recorded at 0.281% for fruits stored at a temperature of 5° C, while the lowest percentage of total titratable acidity was 0.233% for fruits stored at a temperature of 25° C, and this is may be a result of the progress of fruit ripening which is faster with the temperature rise which results in a higher rate of respiration and, consequently, a greater consumption of organic acids, as well as their conversion into sugars (*Burton, 1982; Al-Ani, 1985*).

The storage period had a clear effect, as it was noted from the same table that the percentage of total titratable acidity decreased with the elongation of the storage period, reaching the percentage of 0.215% at the end of the storage period. The reason for the decrease in the total acidity content of the fruits with the elongation of the storage period may be due to the consumption by the respiration process or converted into sugars (*Dessouki et al., 2011*).

The use of ozone led to the preservation of the total titratable acidity during the cold storage period and the results are consistent with *Jassim et al., (2016)* and *Taain et al., (2019)*.

As the table showed the effect of the interaction between the ozone treatment and the storage temperature, the results indicated that fruits treated with 5000 ppm ozone and stored at a temperature of 5° C, had a significant increase of total acidity, reached 0.312%, while the lowest percentage of the total acidity was in the treated fruits with 0 ppm ozone and stored at a temperature of 25°C, reached 0.185%.

The results of the table also showed the effect of the interaction between the ozone treatment and the storage period, where the highest percentage of total acidity reached 0.288% for fruits treated with ozone at a concentration of 5000 ppm after a month of storage, while the lowest percentage reached 0.191% for the treated fruits with 0 ppm ozone after six months of storage.

The table also shows the interaction between the storage temperature and the storage period, as the highest percentage of the total acidity reached 0.312% after a month of storage at a temperature of 5° C, while



the lowest percentage of the total acidity reached 0.196% at the end of the storage period at a temperature of 25°C.

As for the interaction between the three factors, it was noted that the highest percentage of total acidity was 0.343% for fruits treated with ozone at a concentration of 5000 ppm after a month of storage at a temperature of 5° C. While the lowest percentage of total acidity was 0.167% for fruits treated with 0 ppm ozone, after six months of storage at a temperature of 25°C.

**Table 4**

**Effect of ozone treatment, storage temperature and storage period on the percentage of total titratable acidity of Medjool date palm fruits.**

Ozone	storage temperature	Storage period (month)						Ozon x temperature
		1	2	3	4	5	6	
0 ppm	5° C	0.273	0.256	0.253	0.250	0.240	0.233	0.251
	10° C	0.242	0.235	0.227	0.213	0.202	0.197	0.219
	25° C	0.201	0.198	0.182	0.189	0.175	0.167	0.185
2.500 ppm	5° C	0.320	0.320	0.286	0.276	0.240	0.216	0.276
	10° C	0.270	0.240	0.226	0.210	0.203	0.193	0.223
	25° C	0.240	0.232	0.224	0.214	0.203	0.192	0.217
5000 ppm	5° C	0.343	0.330	0.313	0.300	0.300	0.283	0.312
	10° C	0.303	0.286	0.270	0.250	0.250	0.240	0.267
	25° C	0.231	0.227	0.217	0.210	0.209	0.199	0.215
								Mean values of ozone
Ozone x Storage period	0 ppm	0.227	0.216	0.211	0.205	0.200	0.191	0.208
	2.500 ppm	0.266	0.256	0.235	0.223	0.214	0.200	0.232
	5000 ppm	0.288	0.276	0.262	0.250	0.244	0.234	0.259
								Mean values of temperature
temperature x Storage period	5° C	0.312	0.302	0.284	0.275	0.260	0.251	0.281
	10° C	0.285	0.276	0.266	0.257	0.243	0.232	0.260
	25° C	0.267	0.253	0.241	0.228	0.213	0.196	0.233
Mean values of storage period		0.271	0.26	0.246	0.237	0.226	0.215	
L.S.D. (0.05)								
Ozone	storage temperature	Storage period	Ozone x temperature	Ozone x Storage period	temperature x Storage period	Ozone x temperature x Storage period		
0.003	0.003	0.004	0.005	0.008	0.008	0.014		

## CONCLUSION

It is concluded from the current study that the treatment with ozone at a concentration of 5000 ppm was superior in improving qualitative characteristics of date palm fruits Cv. Medjool during storage at 5°C.

## REFERENCES

- [1] Al-Amiri, H. A. H. (2010). The effect of storage temperature, packing method and bio-disc on the storage ability of date palm fruits (*Phoenix dactylifera* L.) Cvs. Halawi and Sayer in rutab stage. Master thesis, College of Agriculture, University of Basrah, Iraq.
- [2] Al-Amiri, H. A. H. (2016). The effect of some natural control treatments before and after harvest in improving the quality characteristics and storage ability of date palm fruits (*Phoenix dactylifera* L.) of the two cultivars Barhi and Braim. PhD thesis, College of Agriculture, University of Basrah.
- [3] Al-Ani, A.M. (1985). Postharvest Physiology of Horticultural Crops. Ministry of Higher Education and Scientific Research. Baghdad University. Iraq.
- [4] Al-Barrak, S. H. T. (2009). The effect of storage temperature and calcium on the storage ability of date palm fruits Cvs. Medjool and Hilali at khalal stage. Master thesis, College of Agriculture, University of Basrah.
- [5] Al-Jubouri, H. J. (2002). The importance of date palm trees (*Phoenix dactylifera* L.) in the State of Qatar. National course on the applications of plant tissue culture in improving plant production: 25 – 1.
- [6] A.O.A.C. (1992). Official method of analysis. Association of Official Analytical Chemists, Washington D.C.
- [7] Al-Rawi K.M., Khalf Allah M. (1980). Design and analysis of agricultural experiments, Mosul University, Iraq, p. 488.
- [8] Attaha, H.M. and D.A. Taain. (2009). Effect of cycocel on fruit development and chemical changes during ripening of Sayer cv. date palm. J. Thi-Qar. Univ. 5:79-94.
- [9] Benjamin, N. D.; Al-Khalidi, M. S.; Shabana, H. R. and Aseel, S. M. (1985). The effect of cold storage on the qualitative characteristics of six cultivars of date palm fruits at rutab stage. Date Palm Journal 1 (4): 1-17.
- [10] Burton, W. G. (1982). Postharvest physiology of food crops. Longmann and Scientific, New York, 310.
- [11] Dessouki I.M., Algizawi A.M., Abdel Azim M.M. and Ahmed S. (2001). Technology of storage and export of horticultural crops, College of Agriculture, Ain Shams University, Egypt.
- [12] Jassim, A. M.; D.A. Taain and H. A. Hamza. (2016). Effect of some natural and post-harvest control treatments in the storage behavior of date palm fruits. Journal of the Euphrates for Agricultural Sciences, Agricultural Conference III.
- [13] Khadre, M. A., & Yousef, A. E. (2001). Sporicidal action of ozone and hydrogen peroxide: a comparative study. International Journal of Food Microbiology, 71: 131–138.
- [14] Shirokov, E. P. (1968). Practical Course in Storage and Processing of Fruit and Vegetable. USDA: INSF Publication, Washington, D. C: 161.
- [15] Taain D. A. (2005). The effect of package kind and storage temperature on the quality and storage behavior of date palm fruit cv. Barhi. Basra J. Date Palm Res.; 4(201):55-71.
- [16] Taain, D.A. (2010). Effect of NAA on physiology of growth and ripening of date palm fruits (*Phoenix dactylifera* L) cv. Barhi. J. Karbala Univ. 8:156-175.
- [17] Taain, D. A. (2011). Effect of storage temperatures and postharvest calcium salts treatments on storability of jujube fruits (*Zizphus mauritiana* Lam.Cv.Tufahi). Annals of Agri. Sci. J., Moshtohor, 49(4): 447-453.
- [18] Taain D. A. (2014). The role of some plant extracts and storage temperature in improving storageability of Date palm fruits cv. Dayri (*Phoenix dactylifera* L. cv. Dayri), AAB Bioflux 6(1):26-32.
- [19] Taain, D.A, Hamza HA, Jaber FN. (2019), the effect of cultivar, chitosan and storage period on qualitative characteristics of date palm fruits (*Phoenix dactylifera* L.) and their infection with the saw-toothed grain beetle. IOP Conf. Series: Journal of Physics: Conf. Series. 2019; 1294: 092004.
- [20] Youssef, M. K. and Abu Ali M. (1993). The date palm fruits at rutab stage suitability of some Saudi date cultivars for preservation using refrigeration and freezing techniques. Publications of the Third Palm Symposium, Part Two, King Faisal University - Saudi Arabia: 290-298.