

Available online at https://www.sjomr.org.in

### SCIENTIFIC JOURNAL OF MEDICAL RESEARCH

Vol. 7, Issue 27, pp 15-18, 2023



**RESEARCH ARTICLE** 

# Frequencies New Delhi Metallo-β-Lactamase (NDM) in Klebsiella pneumoniae Isolates from Clinical Samples in Al-Basrah Governorate, Iraq

## Intithar M. Mozan<sup>1</sup>, Saad S. M. Al-Amara<sup>\*2</sup>

<sup>1</sup>Microbiology laboratory, Basrah Teaching Hospital, Basrah Health directory, Iraq

<sup>2</sup>Department of Pathological Analyses, College of Science, University of Basrah, Iraq

#### **ARTICLE INFORMATIONS**

Article history: Received: 20 July 2023 Revised: 27 August 2023 Accepted: 3 September 2023 Published: 24 September 2023

#### **Keywords**:

Metallo-β-lactamases (MBL), blaNDM , *Klebsiella pneumoniae* **Corresponding author:** 

Saad S. M. Al-Amara Email: saad.mahdi@uobasrah. edu.iq Department of Pathological Analyses, College of Science, University of Basrah, Iraq

#### ABSTRACT

**Background:** Metallo- $\beta$ -lactamases (MBL) genes are crucial for resistance to antibiotics, and early detection is essential for infection control and prevention of nosocomial outbreaks.

**Methods:** One hundred fifty clinical samples from Basrah hospitals were collected between October and December 2022 and categorized equally into 50 samples for each sputum, urine, and wound swab. *K. pneumoniae* isolates were identified morphologically and tested on MacConkey and blood agar. The *Klebsiella pneumoniae* chromogenic medium and Vitek<sup>®</sup>2 system was used as confirmation tests. Genomic DNA extracted from *K. pneumoniae* isolates using a commercial purification kit. The DNA extraction was amplified using PCR for 16S rDNA amplification *K. pneumoniae* isolates using a specific primer of approximately (130bp). *K. pneumoniae* carbapenemase (KPC) chromogenic agar and modified hodge test, according to CLSI were used to test the *K. pneumoniae* isolates for detect the ability of carbapenemase production. Plasmid DNA was extracted from *K. pneumoniae* isolates and plasmid DNA was amplified using PCR to detect the *bla<sub>NDM</sub>* gene using a specific primer of approximately (621bp).

**Results:** From November to December 2022, one hindered fifty samples were investigated for bacterial growth, of which gave 82 (56%) were positive and 68 (45.4%) had negative results. Grame-positive bacteria were 28(34.1%), while Gram-negative bacteria were 54(64.9%), including *Klebsiella pneumonia* 32(59.26%), *E. coli* 16 (29.63%), *Klebsiella spp.* 3 (5.56%), *Pseudomonas spp.* 2 (3.7%), and 1(1.85%) *Proteus spp.* All *K. pneumoniae* isolates showed mucoid pink, white, and purple appearances on MacConkey agar, blood agar, and *K. pneumoniae* chromogenic medium, respectively. The vitek<sup>®</sup>2 system showed 100% accuracy results in biochemical tests and *K. pneumoniae medium.* The PCR technology was used to diagnose gene 16S rDNA. The results showed that all (n = 32) *K. pneumoniae* isolates had a molecular weight of (130 bp) when compared with the standard molecular DNA ladder (200 bp). On the other side, the (n=32) *K. pneumoniae* isolates tested on *Klebsiella pneumoniae* carbapenemase chromogenic agar and modified Hodge test, 16 (50%) showed positive results and 16 (50%) showed negative results for carbapenemase production in both methods. On the other side PCR molecular diagnostics the *bla<sub>NDM</sub>* gene results showed that all (n = 32) *K. pneumoniae* isolates revealed a molecular weight of (621 bp), when compared with the standard molecular DNA ladder (200 bp).

**Conclusions:** To select the best treatment and avoid losses time and money, use *Klebsiella pneumoniae* carbapenemase (KPC) chromogenic agar, modified Hodge test, and PCR techniques for daily antibiotic susceptibility testing in hospital and private clinical laboratories.

*Copyright©2023, Authors.* This open access article is distributed under the Creative Common Attribution-Non Commercial 4.0 International (CC BY-NC--SA 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

CITATION: Mozan IM, Al-Amara SSM. Frequencies New Delhi Metallo-β-Lactamase (NDM) in Klebsiella pneumoniae Isolates from Clinical Samples in Al-Basrah Governorate, Iraq. Sci. J. Med. Res. 2023;7(27):15-18. DOI: 10.37623/sjomr.v07i27.03