

## **Chemical and Biological Hazards of Plastic Utensils Used for Cooking and Other Uses: A Review Article**

Tadamoun Sabah Yunus<sup>1\*</sup>

Department of Basic Science, College of Nursing, University of Basrah, Basrah, Iraq

E-mail: [thadamoun.sabah@uobasrah.edu.iq](mailto:thadamoun.sabah@uobasrah.edu.iq)

**Abstract.** Packaging accounted for over 40% of the 380 million metric tons of plastic produced worldwide in 2015. A range of polymers, additives, and other substances, like coatings and adhesives, are used to make plastic packaging. Packaging may include unintentionally added components like contaminants, oligomers, or degradation products, as well as residues from production processes like solvents. A comprehensive understanding of all the compounds involved is necessary to characterize the risks associated with chemicals that may be released during package manufacturing, use, disposal, and/or recycling. The Chemicals Associated with Plastic Packaging database comprises the chemicals utilized in manufacture and/or found in final packaging items.

### **Highlights:**

1. Plastic packaging made up over 40% of global plastic production in 2015.
2. It contains both intentionally and unintentionally added chemicals.
3. Risk assessment requires full knowledge of all associated compounds.

**Keywords:** Chemical, Biological Hazards, Plastic Utensils, Cooking

**Published: 2025-05-21**

## **Introduction**

Plastic packaging is becoming more and more popular [1], [2], [3]. outlined by the desire to decrease food waste and the rise in demand brought on by market expansion and population growth [4], [5], [6], [7]. However, concerns about the harm being done to the environment are also becoming more prevalent [8] and to human health [9]. Littering and the buildup of nonbiodegradable plastics in the environment are among these issues [10], [11], [12] generation of secondary microplastics and nanoplastics [13], [14], [15], [16], [17] and the discharge of dangerous substances during production and operation [18], [19], [20] [21] In addition to after landfilling

# Indonesian Journal on Health Science and Medicine

## Vol 2 No 2 (2025): October

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

[22], [23], [24] incineration [25] or inappropriate disposal that pollutes the environment [26], [27], [28], [29], [30]. Packaging accounted for over 40% of the 380 million metric tons of plastics produced worldwide in 2015 [31]. About 60% of all plastic packaging is used for food and drink, with the remaining portion going to non-food applications like shipping, cosmetics, consumer goods, apparel, and healthcare. Efforts are currently being made to significantly enhance plastic recycling rates to lessen the effects on the environment [32], [33], [34].

Numerous chemicals, especially packaging plastics, are extremely dangerous when used to create plastics [35], thereby raising serious concerns about occupational health [36], [37], [38]. Furthermore, chemicals included in plastic packaging may find their way into goods like food or cosmetics, or the environment during future usage, disposal, and recycling [39]. Because of this, plastic packaging is probably going to significantly increase the amount of chemicals that people and the environment are exposed to [40], [41], [42]. Additionally, recycling may cause dangerous compounds to build up in secondary materials, which would lower their market value and limit their use in downstream processes [43], [44], [45], [46]. Consequently, a thorough evaluation of the chemicals linked to plastic packaging might be required [47], [48], [49], [50].

Numerous methods have already been put out for evaluating and rating dangerous compounds found in plastics [51], [52]. The high quantities of monomers and a few additions have been the subject of these investigations up to this point. However, the identities and concentrations of all substances involved should be known to fully inform design, production, and policy decisions supporting safe substitutes for dangerous chemicals in plastic packaging. This includes materials that are purposefully added, like the monomers that are used to create the polymer, other chemicals that are used specifically during manufacturing (like solvents or processing aids), and additives that are added to the polymer to give it a desired property or function. It also includes materials that are unintentionally added, like impurities, reaction by-products, and breakdown products [53], [54], [55].

PVC, polyethylene, polypropylene, polyethylene terephthalate, and polystyrene are the five polymers most frequently encountered in plastic packaging [56]. Other polymers, including acrylics, polylactic acid, polycarbonate, polyamides, polyurethanes,

and even more specialized polymer types, are also used for specific packaging purposes [57], [58]. A recent study found that over 10% of post-consumer plastic packaging waste that is gathered for recycling may consist of less prevalent polymers [59], [60].

Fillers, plasticizers, colorants, stabilizers, lubricants, foaming agents, flame retardants, and antistatic agents are the key groups of plastic additives. According to total tons, they are presented in decreasing order. Stabilizers can be further classified into many classes with more specialized uses, such as biostabilizers (biocides), heat stabilizers, UV stabilizers, antioxidants, and antiozonants [61]. Numerous additional kinds of additives are also utilized in smaller quantities [62], [63], [64]. Laminated structures and multimaterial multilayers are commonly utilized for packaging in addition to single-material items. Adhesives are frequently utilized in these systems to keep the structure together, which adds another level of chemical diversity [65].

In the 1940s and 1950s, the industrial manufacture of plastic materials began to take off. The amount of plastic produced annually worldwide has doubled over the past 15 years, with an estimated 299 million tons produced in 2013 [66], [67]. 21 percent of the world's plastic demand is made up of thermoplastic polypropylene, with low- and linear low-density polyethylene coming in at 18 percent, polyvinyl chloride at 17 percent, and high-density polyethylene at 15 percent. Other highly sought-after plastic types include thermosetting plastic, polyurethane, expandable (8%), polyethylene terephthalate (7%, excluding PET fiber), and polystyrene [68].

Plastic polymers are utilized to make consumer goods as well as synthetic fibers, foams, coatings, adhesives, and sealants, all of which have several applications [69]. Low-density plastics save fuel and save pollutants when they are used in automobiles and aircraft instead of metals or ceramics; Plastic protective clothing and safety equipment (such as helmets, air bags, and fireproof materials) prevent injuries; Plastic items for medical purposes contribute to enhanced health (such as blood bags, tubings, throwaway syringes, and prosthesis); Plastic packaging saves resources by preventing food and products from being wasted or contaminated; Because plastic packaging is lighter than traditional materials, it uses less fuel and emits fewer emissions while being transported.

Nevertheless, a heterogeneous waste stream results from such varied usage. The main reason for the high amounts of plastic trash generated is the short lifespan of many plastic objects, with an estimated 40% of them having a service life of less than one month. This massive waste causes major management and environmental issues [70].

## Method

This review article was developed based on an extensive examination of existing scientific literature related to the chemical and biological hazards of plastic utensils used in cooking and food packaging. Relevant peer-reviewed articles, books, and institutional reports were identified through searches in academic databases such as PubMed, ScienceDirect, and Google Scholar. The search included terms such as "plastic utensils," "chemical migration," "food contamination," "plastic additives," and "health risks."

Inclusion criteria were studies that specifically discussed chemical composition, migration risks, biological contamination pathways, and the health implications of plastic use in food-related applications. Preference was given to studies published in the last 15 years, although foundational works were also included when relevant.

The collected information was analyzed thematically and categorized into key discussion areas including food contamination, chemical leaching, transportation risks, interaction with cleaning agents, and food additives. This approach allows for a comprehensive synthesis of current knowledge and identification of gaps requiring further investigation.

## Results and Discussion

### 1. Food Contamination

Natural toxins, environmental contaminants, agrochemical residues, food process toxicants, and purposefully added substances are the four main categories into which chemical pollutants found in food can be divided [71], [72]. As a result,

there is an inherent and external danger of contamination in the food manufacturing chain [73], [74].

## 2. Transportation

Both diesel and gasoline-powered vehicles can contaminate food while in transit by releasing too much carbon monoxide through their exhaust systems. When it comes to reducing the distances involved in moving food, developing nations' logistics management and transportation infrastructures are less effective [75]. This makes it more likely that undesirable materials may land on the food. The pollutants may land directly on the food or the container. Oxygen, carbon dioxide, and water vapor are the gases that are most frequently examined for permeation on packaging materials. Consequently, other unidentified substances could penetrate the packaging's barriers [76].

## 3. Cleaning Agents

In the food business, cleaning products are essential to food safety. Chemical sanitizers that are preferred for deep cleaning in the food business include sodium hypochlorite, hydrogen peroxide, and peracetic acid [77]. The majority of cleaning products and disinfectants contain dangerous substances that are caustic and have a strong odor. Despite their importance in thoroughly cleaning surfaces and the environment, they can readily find their way into food through improper handling and dangerous procedures, leaving lingering toxicity.

Approval and regulation are required for heavy industrial chemicals. A material safety data sheet must also be given to the chemical handlers. To reduce the risk of food contamination by cleaning agents, international organizations, including the US Food and Drug Administration and the Codex Alimentarius, have established standards. Although optional, these guidelines are important, particularly for businesses looking to engage in global trade. When improperly diluted, certain substances can have negative health consequences on people, such as chronic dermatitis, when they come into contact with the skin or are used for an extended period [78]. When added straight to food, this could be toxic [79].

## 4. Food Additives

# Indonesian Journal on Health Science and Medicine

## Vol 2 No 2 (2025): October

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

Research in the food sector has advanced quickly, and new methods have been developed to combat food perishability and minimize food loss from microbial deterioration. However, due to their potential to create food-related disorders, these technologies must be introduced and handled carefully [80]. Among the improvements implemented in the food sector to reduce waste and increase the shelf life of foods are food additives [81]. According to estimates, the average person may ingest between 3.6 and 4.5 kg of food additives annually [82]. Substances of natural or synthetic origin added to food to fulfill a technological or sensory purpose are food additives. According to the Codex Alimentarius, the definition is further broadened to include any material that is typically employed as a food additive to give nutritional value but is not often ingested as food. Despite the scientific uncertainty surrounding certain pollutants, the World Health Organization and other international organizations advocate for the inclusion of food additives in risk and safety initiatives due to their extensive impact [83].

## Conclusion

Further research is necessary to determine the amount of this type of pollution, particularly that caused by microplastics, as it is believed to be far more widespread than previously thought in terms of both larger volumes and smaller particles. While there have been reports of suffocation leading to death and other negative consequences from ingesting or becoming entangled in plastic particles, plastics' capacity to absorb POPs may also result in other issues.

## References

- [1] S. Pira, *The Future of Rigid Plastic Packaging to 2022*, USA, 2018.
- [2] E. Van Eygen, J. Feketitsch, D. Laner, H. Rechberger, and J. Fellner, "Comprehensive Analysis and Quantification of National Plastic Flows: The Case of Austria," *Resources, Conservation and Recycling*, vol. 117, pp. 183–194, 2017.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [3] A. M. Tiryag and H. H. Atiyah, "Nurses' Knowledge Toward Obesity in Al-Basra City," *Annals of the Romanian Society for Cell Biology*, vol. 25, no. 5, pp. 4667–4673, 2021.
- [4] A. L. Andrady and M. A. Neal, "Applications and Societal Benefits of Plastics," *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 364, no. 1526, pp. 1977–1984, 2009.
- [5] M. Sohail, D.-W. Sun, and Z. Zhu, "Recent Developments in Intelligent Packaging for Enhancing Food Quality and Safety," *Critical Reviews in Food Science and Nutrition*, vol. 58, no. 15, pp. 2650–2662, 2018.
- [6] R. C. Thompson, S. H. Swan, C. J. Moore, and F. S. Vom Saal, "Our Plastic Age," *The Royal Society Publishing*, pp. 1973–1976, 2009.
- [7] I. Zainel, H. Abdul-Ra'aoof, and A. Tiryag, "Mothers' Knowledge and Attitudes Towards Her Children With Neonatal Jaundice: A Cross-Sectional Study," *Health Education and Health Promotion*, vol. 10, no. 3, pp. 565–570, 2022.
- [8] E. J. North and R. U. Halden, "Plastics and Environmental Health: The Road Ahead," *Reviews on Environmental Health*, vol. 28, no. 1, pp. 1–8, 2013.
- [9] R. U. Halden, "Plastics and Health Risks," *Annual Review of Public Health*, vol. 31, no. 1, pp. 179–194, 2010.
- [10] J. R. Jambeck et al., "Plastic Waste Inputs From Land Into the Ocean," *Science*, vol. 347, no. 6223, pp. 768–771, 2015.
- [11] R. C. Thompson, C. J. Moore, F. S. Vom Saal, and S. H. Swan, "Plastics, the Environment and Human Health: Current Consensus and Future Trends," *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 364, no. 1526, pp. 2153–2166, 2009.
- [12] A. M. Tiryag and H. H. Atiyah, "Nurses' Knowledge Toward Bariatric Surgery at Surgical Wards at Teaching Hospitals in Al-Basra City," *Indian Journal of Forensic Medicine & Toxicology*, vol. 15, no. 3, pp. 5152–5159, 2021.
- [13] T. S. Galloway, "Micro- and Nano-Plastics and Human Health," in *Marine Anthropogenic Litter*, Springer, 2015, pp. 343–366.
- [14] T. S. Galloway and C. N. Lewis, "Marine Microplastics Spell Big Problems for Future Generations," *Proceedings of the National Academy of Sciences*, vol. 113, no. 9, pp. 2331–2333, 2016.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [15] M. Revel, A. Châtel, and C. Mouneyrac, "Micro (Nano) Plastics: A Threat to Human Health?," *Current Opinion in Environmental Science & Health*, vol. 1, pp. 17–23, 2018.
- [16] S. L. Wright and F. J. Kelly, "Plastic and Human Health: A Micro Issue?," *Environmental Science & Technology*, vol. 51, no. 12, pp. 6634–6647, 2017.
- [17] E. H. Rahi, Z. M. H. Al-Hejaj, and A. M. Tiryag, "Nurses' Knowledge of Nonalcoholic Fatty Liver Disease: A Cross-Sectional Study," *Academia Open*, vol. 9, no. 2, 2024, doi: 10.21070/acopen.9.2024.10306.
- [18] D. Biryol, C. I. Nicolas, J. Wambaugh, K. Phillips, and K. Isaacs, "High-Throughput Dietary Exposure Predictions for Chemical Migrants From Food Contact Substances for Use in Chemical Prioritization," *Environment International*, vol. 108, pp. 185–194, 2017.
- [19] L. Caporossi and B. Papaleo, "Bisphenol A and Metabolic Diseases: Challenges for Occupational Medicine," *International Journal of Environmental Research and Public Health*, vol. 14, no. 9, p. 959, 2017.
- [20] R. DeMatteo et al., "Chemical Exposures of Women Workers in the Plastics Industry With Particular Reference to Breast Cancer and Reproductive Hazards," *New Solutions: A Journal of Environmental and Occupational Health Policy*, vol. 22, no. 4, pp. 427–448, 2013.
- [21] A. Tiryag, "Revitalizing Hearts: The Transformative Impact of Pacemaker Therapy on Cardiac Conduction Disorders," *Academia Open*, vol. 9, no. 1, 2024, doi: 10.21070/acopen.9.2024.8845.
- [22] B. K. Mavakala et al., "Leachates Draining From Controlled Municipal Solid Waste Landfill: Detailed Geochemical Characterization and Toxicity Tests," *Waste Management*, vol. 55, pp. 238–248, 2016.
- [23] D. A. Sarigiannis, "Assessing the Impact of Hazardous Waste on Children's Health: The Exposome Paradigm," *Environmental Research*, vol. 158, pp. 531–541, 2017.
- [24] M. A. Mohammad, H. H. Abdul-Ra'aoof, K. A. Razzaq Manahi, and A. M. Tiryag, "Parents' Knowledge and Attitudes Toward Testicular Torsion," *Bahrain Medical Bulletin*, vol. 46, no. 1, 2024.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [25] M. Franchini, M. Rial, E. Buiatti, and F. Bianchi, "Health Effects of Exposure to Waste Incinerator Emissions: A Review of Epidemiological Studies," *Annali dell'Istituto Superiore di Sanità*, vol. 40, no. 1, pp. 101–115, 2004.
- [26] F. Gallo et al., "Marine Litter Plastics and Microplastics and Their Toxic Chemicals Components: The Need for Urgent Preventive Measures," *Environmental Sciences Europe*, vol. 30, pp. 1–14, 2018.
- [27] J. N. Hahladakis, C. A. Velis, R. Weber, E. Iacovidou, and P. Purnell, "An Overview of Chemical Additives Present in Plastics: Migration, Release, Fate and Environmental Impact During Their Use, Disposal and Recycling," *Journal of Hazardous Materials*, vol. 344, pp. 179–199, 2018.
- [28] J. Hammer, M. H. Kraak, and J. R. Parsons, "Plastics in the Marine Environment: The Dark Side of a Modern Gift," *Reviews of Environmental Contamination and Toxicology*, pp. 1–44, 2012.
- [29] L. Hermabessiere et al., "Occurrence and Effects of Plastic Additives on Marine Environments and Organisms: A Review," *Chemosphere*, vol. 182, pp. 781–793, 2017.
- [30] H. M. Sabty, S. B. Dawood, and A. M. Tiryag, "Nurses' Knowledge and Practices on Influenza Vaccination for Pregnant Women," *Jurnal Kebidanan Midwiferia*, vol. 10, no. 2, pp. 50–59, 2024.
- [31] R. Geyer, J. R. Jambeck, and K. L. Law, "Production, Use, and Fate of All Plastics Ever Made," *Science Advances*, vol. 3, no. 7, p. e1700782, 2017.
- [32] M. Fontanari, "Analysis of Plastic Packaging Extended Producer Responsibility Schemes in the European Union," 2024.
- [33] European Commission, "Communication From the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions," Brussels, 2014. [Online]. Available: <http://www.xploit-eu.com/pdfs/Europe>.
- [34] M. Akber, A. Tiryag, and A. Alobaidi, "Nurses' Knowledge Regarding Cast Complications of Limb Fractures: A Cross-Sectional Study," *Central Asian Journal of Medical and Natural Science*, vol. 5, no. 2, pp. 195–200, 2024.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [35] D. Lithner, Å. Larsson, and G. Dave, "Environmental and Health Hazard Ranking and Assessment of Plastic Polymers Based on Chemical Composition," *Science of the Total Environment*, vol. 409, no. 18, pp. 3309–3324, 2011.
- [36] A. Fucic et al., "Potential Health Risk of Endocrine Disruptors in Construction Sector and Plastics Industry: A New Paradigm in Occupational Health," *International Journal of Environmental Research and Public Health*, vol. 15, no. 6, p. 1229, 2018.
- [37] D. Montano, "Chemical and Biological Work-Related Risks Across Occupations in Europe: A Review," *Journal of Occupational Medicine and Toxicology*, vol. 9, pp. 1–13, 2014.
- [38] M. A. Akber, A. M. Tiryag, and A. Alobaidi, "Nurses' Knowledge Concerning Developmental Dysplasia of the Hip: A Cross-Sectional Study," *American Journal of Pediatric Medicine and Health Sciences*, vol. 2, no. 4, pp. 155–160, 2024.
- [39] M. A. Mohammad, A. Y. Al-Timary, and A. M. Tiryag, "Safety of Tubeless Double Access Percutaneous Nephrolithotomy Compared to Single Access Approach," *Bahrain Medical Bulletin*, vol. 45, no. 2, 2023.
- [40] K. Grob, M. Biedermann, E. Scherbaum, M. Roth, and K. Rieger, "Food Contamination With Organic Materials in Perspective: Packaging Materials as the Largest and Least Controlled Source? A View Focusing on the European Situation," *Critical Reviews in Food Science and Nutrition*, vol. 46, no. 7, pp. 529–535, 2006.
- [41] H.-P. Hutter et al., "Life Without Plastic: A Family Experiment and Biomonitoring Study," *Environmental Research*, vol. 150, pp. 639–644, 2016.
- [42] M. Mohammad, F. Jassim, and A. Tiryag, "Retrograde Intrarenal Lithotripsy Using Disposable Flexible Ureteroscope," *Georgian Medical News*, vol. 348, pp. 44–46, 2024.
- [43] B. Geueke, K. Groh, and J. Muncke, "Food Packaging in the Circular Economy: Overview of Chemical Safety Aspects for Commonly Used Materials," *Journal of Cleaner Production*, vol. 193, pp. 491–505, 2018.
- [44] U. Lahl and B. Zeschmar-Lahl, "Risk Based Management of Chemicals and Products in a Circular Economy at a Global Scale (Risk Cycle), Extended Producer Responsibility and EU Legislation," *Environmental Sciences Europe*, vol. 25, pp. 1–12, 2013.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [45] A. M. Ragossnig and D. R. Schneider, "What Is the Right Level of Recycling of Plastic Waste?," SAGE Publications Sage UK: London, England, pp. 129–131, 2017.
- [46] M. A. Mohammad, F. A. Jassim, and A. M. Tiryag, "Single-Use Flexible Ureteroscope for the Treatment of Renal Stone," *Revista Latinoamericana de Hipertension*, vol. 18, no. 7, 2023.
- [47] B. Bilitewski, R. M. Darbra, and D. Barceló, *Global Risk-Based Management of Chemical Additives II: Risk-Based Assessment and Management Strategies*, Springer, 2012.
- [48] C. Bodar et al., "Risk Management of Hazardous Substances in a Circular Economy," *Journal of Environmental Management*, vol. 212, pp. 108–114, 2018.
- [49] A. Guzzonato, F. Puype, and S. Harrad, "Evidence of Bad Recycling Practices: BFRs in Children's Toys and Food-Contact Articles," *Environmental Science: Processes & Impacts*, vol. 19, no. 7, pp. 956–963, 2017.
- [50] M. Jabbar, M. Mohammad, and A. Tiryag, "Changes in Male Reproductive Hormones in Patients With COVID-19," *Georgian Medical News*, vol. 342, pp. 42–46, 2023.
- [51] M. Rossi and A. Blake, *The Plastics Scorecard: Evaluating the Chemical Footprint of Plastics*, Clean Production Action, Somerville, 2014. [Online]. Available: [www.bizngo.org/sustainable-materials/plastics-scorecard](http://www.bizngo.org/sustainable-materials/plastics-scorecard)
- [52] A. A. A. Al-Iedan et al., "Bridging the Gap: Enhancing Open Fracture Care in Emergency Nursing," *Academia Open*, vol. 9, no. 1, 2024, doi: 10.21070/acopen.9.2024.8847.
- [53] CSL Laboratory, E. Bradley, and L. Coulier, Eds., *An Investigation Into the Reaction and Breakdown Products From Starting Substances Used to Produce Food Contact Plastics*, CSL, 2007.
- [54] C. Nerin, P. Alfaro, M. Aznar, and C. Domeño, "The Challenge of Identifying Non-Intentionally Added Substances From Food Packaging Materials: A Review," *Analytica Chimica Acta*, vol. 775, pp. 14–24, 2013.
- [55] M. F. Hasan et al., "Nurses' Knowledge Toward Lower Back Pain: A Cross-Sectional Study," *Academia Open*, vol. 9, no. 1, 2024, doi: 10.21070/acopen.9.2024.10363.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [56] F. A. Jassim, A. M. Tiryag, and S. S. Issa, "Effect of Bad Habits on the Growth of School Students: A Cross-Sectional Study," *Indonesian Journal on Health Science and Medicine*, vol. 1, no. 1, 2024, doi: 10.21070.
- [57] S. E. Selke, J. D. Culter, R. A. Auras, and M. Rabnawaz, *Plastics Packaging: Properties, Processing, Applications, and Regulations*, Carl Hanser Verlag GmbH Co KG, 2021.
- [58] A. M. Tiryag, "Nurses' Knowledge and Attitudes Toward Pacemaker: A Cross-Sectional Study," *Academia Open*, vol. 9, no. 1, 2024, doi: 10.21070/acopen.9.2024.8845.
- [59] M. T. Brouwer et al., "Predictive Model for the Dutch Post-Consumer Plastic Packaging Recycling System and Implications for the Circular Economy," *Waste Management*, vol. 71, pp. 62–85, 2018.
- [60] S. S. Hamid, A. F. Kareem, A. M. Tiryag, and H. H. Abdul-Ra'aoof, "A Study Regarding the Basic Anatomy and Physiology of the Eye Among Nursing Students: A Cross-Sectional Study," *Indonesian Journal on Health Science and Medicine*, vol. 2, no. 2, 2025.
- [61] C. A. Harper, *Handbook of Plastics Technologies: The Complete Guide to Properties and Performance*, McGraw-Hill, 2006.
- [62] E. W. Flick, *Plastics Additives, Volume 1: An Industry Guide*, Elsevier, 2013.
- [63] H. Zweifel and S. E. Amos, *Plastics Additives Handbook*, Hanser Publishers, 2001.
- [64] S. K. Jassim, Z. Abbass, and A. M. Tiryag, "A Study of Diabetes Correlated Emotional Distress Among Patients With Type 2 Diabetes Mellitus: A Cross-Sectional Study," *Academia Open*, vol. 9, no. 2, 2024, doi: 10.21070/acopen.9.2024.10292.
- [65] C. Nerin et al., "A Common Surfactant Used in Food Packaging Found to Be Toxic for Reproduction in Mammals," *Food and Chemical Toxicology*, vol. 113, pp. 115–124, 2018.
- [66] *Plastics Europe, An Analysis of European Plastics Production, Demand and Waste Data*, Plastics Europe, 2019.
- [67] S. Gritzmam, *A Circular European Plastics Economy: A Feasible Concept?*, Wien, 2018.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [68] PlasticsEurope Market Research Group (MRG), Business Data and Charts 2007. Status September, 2008.
- [69] K. P. Luitel, D. Hudson, and D. Ethridge, "Evaluating Cotton Utilization in Nonwoven Textiles," *Journal of Cotton Science*, vol. 19, pp. 298–306, 2015.
- [70] D. Achilias, C. Roupakias, P. Megalokonomos, A. Lappas, and E. Antonakou, "Chemical Recycling of Plastic Wastes Made From Polyethylene (LDPE and HDPE) and Polypropylene (PP)," *Journal of Hazardous Materials*, vol. 149, no. 3, pp. 536–542, 2007.
- [71] I. A. Rather, W. Y. Koh, W. K. Paek, and J. Lim, "The sources of chemical contaminants in food and their health implications," *Frontiers in Pharmacology*, vol. 8, p. 830, 2017.
- [72] M. Oliver, A. Geniets, N. Winters, I. Rega, and S. M. Mbae, "What do community health workers have to say about their work, and how can this inform improved programme design? A case study with CHWs within Kenya," *Global Health Action*, vol. 8, no. 1, p. 27168, 2015.
- [73] C. A. Ng and N. von Goetz, "The global food system as a transport pathway for hazardous chemicals: the missing link between emissions and exposure," *Environmental Health Perspectives*, vol. 125, no. 1, pp. 1-7, 2017.
- [74] J. W. Tempelhoff, "Civil society and sanitation hydropolitics: A case study of South Africa's Vaal River Barrage," *Physics and Chemistry of the Earth, Parts A/B/C*, vol. 34, no. 3, pp. 164-175, 2009.
- [75] X. Wang, C. Wang, T. Zhu, P. Gong, J. Fu, and Z. Cong, "Persistent organic pollutants in the polar regions and the Tibetan Plateau: A review of current knowledge and future prospects," *Environmental Pollution*, vol. 248, pp. 191-208, 2019.
- [76] C. Nerín, M. Aznar, and D. Carrizo, "Food contamination during food process," *Trends in Food Science & Technology*, vol. 48, pp. 63-68, 2016.
- [77] A. O. Bernardi, M. V. Garcia, and M. V. Copetti, "Food industry spoilage fungi control through facility sanitization," *Current Opinion in Food Science*, vol. 29, pp. 28-34, 2019.
- [78] N. G. Marriott, M. W. Schilling, and R. B. Gravani, "Food contamination sources," in *Principles of Food Sanitation*, 2018, pp. 83-91.

**Indonesian Journal on Health Science and Medicine**  
**Vol 2 No 2 (2025): October**

ISSN 3063-8186. Published by Universitas Muhammadiyah Sidoarjo  
Copyright © Author(s). This is an open-access article distributed under the terms of  
the Creative Commons Attribution License (CC-BY).

<https://doi.org/10.21070/ijhsm.v2i2.153>

- [79] M. K. Sharif, K. Javed, and A. Nasir, "Foodborne illness: threats and control," in Foodborne Diseases, Elsevier, 2018, pp. 501-523.
- [80] D. Jayant and P. M. Halami, "Industrial perspective of food preservatives from microbial origin," in Current Developments in Biotechnology and Bioengineering, Elsevier, 2020, pp. 243-261.
- [81] P. Roca-Saavedra et al., "Food additives, contaminants and other minor components: Effects on human gut microbiota—A review," Journal of Physiology and Biochemistry, vol. 74, pp. 69-83, 2018.
- [82] B. G. Linke, T. A. Casagrande, and L. A. Cardoso, "Food additives and their health effects: A review on preservative sodium benzoate," African Journal of Biotechnology, vol. 17, no. 10, pp. 306-310, 2018.
- [83] C. PAȘCA et al., "Total Content of Polyphenols and Antioxidant Activity of Different Melliferous Plants," Bulletin of the University of Agricultural Sciences & Veterinary Medicine Cluj-Napoca Animal Science & Biotechnologies, vol. 73, no. 1, 2016.