Marine Fish Culture in UAE

Dr. Majid Makky Taher


UAE water have same characteristics of Arabian Gulf water (depths are consist of sand or clay or sand and clay, high water temperature due to their location of tropical and subtropical regions)

Previous characteristics are lead to high primary production for phytoplankton, algae and three species sea weeds, that leads to high secondary production especially fish production

Fish Resources Assessment Survey Project of Abu Dhabi and UAE Waters (2003) presented by The Environmental Research and Wildlife Development Agency Abu Dhabi (ERWDA)

Previous survey recording 250 species and lasted between February, 2002 to January 2003 using trawl nets (Kuffa), traps (Karkors) and research vessel "Flinders"

Fish Farms in Samalliah Island



This Island located between 54 longitude and 24 latitude, far away 12 km from Abu Dhabi with 13 square km distance

Samalliah Island is an protected area have many animals such as birds, gazelle, marine turtles









Some kinds of birds hatched and reared in the Island




















Samalliah Island is an heritage Island for different activities such as riding camels and horses, shooting area and sailing boats



Floating cages in Samalliah Island



Small cages and mechanical feeders









Fish species reared in Samalliah Island

Pomacanthus maculosus Yellow-marked butterflyfish



Liza macrolepis (Largescale mullet) Valamugil seheli (Blue-spot mullet)

Lutjanus argentimaculatus Mangrove red snaper



Epinephelus malabaricus Malabar grouper



Sparidentax hasta Sobaity seabream





Acanthopagrus bifasciatus

Twobar seabream



Gnathanodon speciosus

Golden trevally

Lethrinus nebulosus Spangled emperor



Gerres oyena Common silver-biddy

Lethrinus lentjan

Redspot emperor





Siganus canaliculatus White-spotted rabbitfish



Abdefduf saxatillis

Sergeant major



Acanthopagrus arabicus

Yellowfin seabream



Lutjanus ehrenbergi

Blackspot snapper



Scomberoides commersonnianus

Talang queenfish



Plectorhinchus sordidus

Sordid rubberlips



Location of fiberglass ponds (sea view)



Location of fiberglass ponds (land view)



Fiberglass ponds, shading water stocking tanks, water pumping










Exhibition of life fishes







Fish laboratory



Experiment of lethal temperature for five local species



Experiment of effects of protein levels on growth and food conversion of sobaity seabream



Some species cached from water surrounding S. I.





Floating cage in Green AlAish













Manufacturing of fiberglass floating cages











Asmak Company

Sparus aurata

Gilthead seabream



Floating cages in Fujairah



Circular floating cages






Fish harvesting



Fish culture in Um Alqueen Center for marine researches





Sex Detemining



Adults injections



Pituitary glands

Ratio

100- 200 IU / 100 g

Algae ponds



Rotifers ponds



Larvae fed by algae



Larvae nursery ponds



Fingerlings ponds



Concrete rearing ponds



Marketing of fingerlings









Fingerling transported to other farms or releasing into natural protected area





